



# 2013-2014 Product Range

Innovative Products Designed for Life



- > Rainwater Storage Tanks
- > Pipeline & Fertiliser Tanks
- > Stock Troughs
- > Feeders & Drinkers
- > Animal Care Products
- > Calf Feeding
- > Storage & Farm Equipment
- > Diesel & AdBlue® Tanks
- > Fire-Fighting & Water Cartage
- > Aquaculture Tanks

[polymaster.com.au](http://polymaster.com.au)  
**1800 062 064**



Australian  
Owned and Made

# Welcome

To our 2013/14 Handbook



## Thank you for choosing to read the Polymaster Handbook!

Our focus is to provide the ultimate in service and quality to ensure your experience with Polymaster is a most rewarding one. With an ever increasing focus on environmentally friendly products, Polymaster is continually striving to minimize the impact on Australia's environment, whilst maintaining ultimate quality.

- ✓ Family-owned and operated here in Australia since 1994.
- ✓ Extensive range of products for agricultural, rainwater and industrial.
- ✓ Sustainable, premium quality design and manufacturing processes.
- ✓ Reliable customer support, backed by solid product warranties.
- ✓ Robust distribution network with trusted delivery services.

## Innovative Products Engineered with Confidence

Our quality promise means you can experience products that will last. It is what we have built our products, our reputation and our entire business around.

Top grade materials, products that are trialed and tested at every point in the design and manufacture process, all backed up with global quality and process certifications - these things are just the starting point of our promise of quality.

## Relationships are our business

We want you to have complete confidence in our products.

That's why we back our products with convenient delivery options, installation assistance, and friendly and responsive customer support. After 2 decades in the business, our extensive distribution network is one of our most cherished assets.

To find a Polymaster distributor near you:

**CALL \** 1800 062 064

**EMAIL \** sales@polymaster.com.au

## Visit Polymaster online today

We have a great new website, showcasing our experience, products and information. Visit us today online:

**WEB \** [www.polymaster.com.au](http://www.polymaster.com.au)



### Disclaimer

All recommendations and measurements in this catalogue are general in nature and are intended as a guide only. Customers must make their own investigations as to whether any Polymaster product is suitable for their specific needs. Polymaster takes no responsibility for matching existing tank colours. Due to pigment variations with raw material manufacturers, colour shades may vary. Polymaster reserve the right to alter pricing at any time necessary.



# Contents

Explore Our Product Range

5-21

Rainwater  
Storage Tanks  
& Accessories



22-24

Pipeline &  
Fertiliser  
Tanks



26-33

Stock  
Troughs



34-36

Feeders &  
Drinkers



37-40

Animal Care  
Products



41-47

Calf  
Feeding



48-54

Storage  
& Farm  
Equipment



55-68

Diesel &  
AdBlue®  
Tanks



69-72

Fire-Fighting  
& Water  
Cartage



75

Delivery &  
Installation



# What our customers love!

## TOP 10 PRODUCTS

### RWT22500

"Strongly designed for dependable water storage"

page.6



### MT2

"A stock-proof trough that's easy to move"

page.29



### SLST2000

"Neat & Slim urban water conservation"

page.12



### DMP400

"Minimal tray space with great volume"

page.59



### SPT9

"Conveniently waters two paddocks and keeps up with demand"

page.27



### SLT2100

"Quickest connection time makes these a builders favourite"

page.10



### MM5P

"Handy size with all the benefits of the larger units"

page.44



### RFRB

"These baths can be set up in no-time!"

page.38



### BB16

"Easily fits over 1tonne of grain or urea"

page.51



### PT48W

"A benchmark drinker that simply lasts"

page.35





"Polymaster means quality, quality, quality. No one beats them."



5-21

## Rainwater Storage Tanks & Accessories

- > Certified Round Tanks
- > Slendaline Tanks
- > Slendastyle Tanks
- > Poly Choice Tanks
- > Pumps & Accessories
- > Pipeline Tanks
- > Liquid Fertiliser Tanks & Vessels



# Certified Round Tanks




## Standard Colours

- 1 Mist Green - (Pale Eucalypt<sup>®</sup>)
- 2 Slate Grey - (Woodland Grey<sup>®</sup>)
- 3 Mountain Blue - (Deep Ocean<sup>®</sup>)
- 4 Heritage Green - (Cottage Green<sup>™</sup>)
- 5 Smooth Cream - (Classic Cream<sup>™</sup>)
- 6 Rivergum - (Wilderness<sup>®</sup>)
- 7 Wheat - (Harvest<sup>®</sup>)
- 8 Heritage Red - (Manor Red<sup>™</sup>)
- 9 Desert Haze - (Sandbank<sup>™</sup>)
- 10 Merino - (Paperbark<sup>®</sup>)
- 11 Metal Grey - (Ironstone<sup>™</sup>)
- 12 Beige



## Optional Colours

- 1 Autumn Brown - (Jasper<sup>®</sup>)
- 2 Light Grey
- 3 White - (Surf Mist<sup>™</sup>)
- 4 Birch Grey - (Dune<sup>™</sup>)
- 5 Stormedge Blue - (Blue Ridge<sup>™</sup>)
- 6 Earth Tone - (Bushland<sup>™</sup>)
- 7 Monument<sup>™</sup>
- 8 Armour Grey - (Windspray<sup>™</sup>)
- 9 Loft<sup>®</sup>
- 10 Evening Haze<sup>®</sup>
- 11 Gull Grey



Please choose from the list above your preferred overflow and outlet positions and mark on this diagram. Brass outlets can be placed anywhere on flat skirt of tank.

FOR PRICES CONTACT YOUR POLYMASTER DISTRIBUTOR.

All measurements are approximate due to variable shrinkage during manufacture. Due to pigment variations with raw material manufacturers, colour shades may vary. Smaller rainwater tanks need regular maintenance if drinking quality is to be maintained. Polymaster takes no responsibility for the quality of water held in a tank.

\* See page.75

COLORBOND<sup>®</sup> and colour names are registered trademarks of Blue Scope Steel Ltd.<sup>™</sup> Colour names are trademarks of Blue Scope Steel Ltd. Polymaster tank colours represented match COLORBOND<sup>®</sup> steel colours.





All tanks are certified to the RAINWATER TANK STANDARD AS/NZS4766:2006 LICENCE NO. SMKP 21429



### Round Rainwater Tanks

CODE	LITRES/GALLONS	DIAMETER	INLET HEIGHT	O/ALL HEIGHT	STRAINER	OVERFLOW	OUTLET
RWT200	200 (45 gal)	.60 m (1'11")	.90 m (2'11")	.90 m (2'11")	centre	12.00	6.00
RWT600	600 round (132 gal)	1.00 m (3'3")	.95 m (3'1")	.95 m (3'1")	centre	12.00	6.00
RWT1000	1,000 (220 gal)	1.00 m (3'3")	1.50 m (4'11")	1.50 m (4'11")	centre	12.00	6.00
RWT1600	1,600 (350 gal)	1.25 m (4'1")	1.50 m (4'11")	1.61 m (5'3")	12.00	11.00/4.00	6.00
RWT2270T	2,270 tall (500 gal)	1.30 m (4'3")	1.92 m (6'4")	2.00 m (6'6")	12.00	11.00/5.00	6.00
RWT2270LP	2,270 low profile (500 gal)	1.70 m (5'8")	1.20 m (3'11")	1.31 m (4'3")	12.00	11.00/4.00	6.00
RWT3300	3,300 (730 gal)	1.52 m (5')	2.00 m (6'6")	2.10 m (6'10")	12.00	11.00/4.00	6.00
RWT4500T	4,500 tall (1,000 gal)	1.70 m (5'8")	2.10 m (6'10")	2.20 m (7'3")	12.00	11.00/4.00	6.00
RWT4500LP	4,500 low profile (1,000 gal)	2.15 m (7'2")	1.38 m (4'6")	1.58 m (5'2")	12.00	11.00/3.00/7.00	6.00
RWT5000	5,000 (1100 gal)	1.95 m (6'5")	1.96 m (6'5")	2.17 m (7'2")	12.00	11.00/3.00/7.00	6.00
RWT7100	7,100 (1560 gal)	2.15 m (7'2")	2.12 m (7')	2.30 m (7'5")	12.00	11.00/3.00/7.00	6.00
RWT9000	9,000 (2000 gal)	2.50 m (8'2")	2.05 m (6'9")	2.26 m (7'5")	12.00	11.30/2.30/5.30/8.30	6.00
RWT13600	13,600 (3000 gal)	3.10 m (10'2")	2.10 m (6'11")	2.45 m (8')	12.00	11.00/2.00/5.00/8.00	4.00
RWT22500	22,500 (5000 gal)	3.56 m (11'8")	2.47 m (8'1")	2.8 m (9'2")	12.00	11.30/2.30/5.30/8.30	4.00
RWT31700	31,700 (7000 gal)	4.10 m (13'4")	2.61 m (8'7")	3.04 m (10')	12.00	11.30/2.30/5.30/8.30	4.00
RWT45000	45,000 (10,000 gal) combo	combination of 2 x 22,500 ltr tanks			12.00		
RWT63400	63,400 (14,000 gal) combo	combination of 2 x 31,700 ltr tanks			12.00		

# Standard Features

## Polymaster Tank showing Standard Fittings

Visit website for more information



Mosquito proof leaf screen.  
> 200mm RWT 200 - 1000.  
> 300mm RWT 1600, 2270T & 3300.  
> 400mm all other tanks.



90 mm overflow fitting.



Moulded roof lugs for easy lifting and tie down points.



Solid brass threaded outlet with an approved ball valve.  
> 25mm RWT200 - RWT5000.  
> 40mm RWT7100 - RWT31700.



# Selecting the right rainwater tank for your needs



When it comes to deciding what water tank to buy for your home and garden, it's not just a matter of walking into a supplier and choosing a tank. With government moves to limit water usage and long range weather forecasters reporting the high possibilities of another El Nino bringing back droughts, there are a number of factors to consider.

The following queries are useful to assess your particular requirements, once you have answers to these, you will be best informed to make a decision that guarantees your "Water Future".

## 1. What do you need this tank for?

For most homeowners there are three potential answers to this question. (a) You may want to harvest as much rainwater as possible and use it throughout the house, (b) for grey water and garden only, or (c) rain catchment just for the garden.

## 2. What is your daily water use?

Well naturally this depends upon the answer you give to the first question and then upon the size of your household. For example, just in the house alone typically 2 people can get through about 360 litres per day whereas 4 people will use 650 litres a day.

## 3. Potentially, what is the maximum amount of rainfall you can harvest?

Obviously the size of your roof (the catchment) will determine how much rainwater can be collected and, if you know your average rainfall, you can get a good idea of the potential rainwater you could collect. This will help you decide the size of the tank you will need (There is a handy calculator on our website for this).

## 4. Where will the tank be situated?

Many people buy the tank first and then find somewhere to place it. Quite frankly, there is a risk that this may negatively impact the look of the property. We recommend you decide on the best possible site for your tank and then choose your tank size and design accordingly. It's amazing what tank makers can do with modern manufacturing technology.

## 5. What "extras" will you need with the tank?

What inlets and outlets do you require? How will you be pumping the water? Do you need a level indicator? Do you need a mains water change-over device? Do you need a first flush water diverter? Will you need a packaged pump unit?



\* Refer Delivery Spec.

## 6. Do you know what you should check on each tank?

There are a number of small but hugely important checks you should make before purchasing any tank and here are just a few of them.

- > Is the tank moulded in one piece with no joins, seams or part lines down the walls?
- > Is there a need for a roof support pole? (if so run, don't walk away because this is future trouble for sure). Is the roof domed and ribbed for strength?
- > Is it corrugated for rigidity and strength? Or is the tank wall thick enough to resist flexing if you push it (if it flexes it may split at some stage)?
- > Does it display Aust. Std. AS/NZS 4020:2002 approval? Is the material fully UV stabilised to guarantee pure, fresh, clean water?
- > Does the tank carry at least a 20 Year Warranty? For how long has the manufacture responsibly serviced their Warranty? (Some manufacturers change their corporate structure to avoid warranty claims).
- > Does it have AS/NZS 4766:2006 Certification to take advantage of relevant State Government rebate (see below)?

## 7. Are you going to claim the water rebate?

Take advantage of the current Victorian State Government water rebate of up to \$1,500 (4,000litre tank or greater and connected to toilet and laundry). State Rebates like these encourage people to install a tank not only to save water but to relieve the huge problems storm water is creating on the current infrastructure. This rebate can only be claimed if the tank purchased is Certified to AS/NZS 4766:2006 (to be reviewed 30/06/13)

Do you have any further unanswered questions? Our friendly team has years of experience in helping people make the right rainwater storage decisions, they are sure to be able to help.

If you need more help,  
talk to our experts on the hotline! 1800 062 064

# Slendaline™ Tanks




## Saving Space & Water

This 2100ltr tank comes fully integrated with pump and mains change-over device

- > Fast & Simple Installation
- > Clear access to pump
- > Assisting you achieve a 6 star rating



▲ SLT2100GP




400mm Mesh screen



Pump installed behind inspection door



90mm Overflow



25mm Outlets

## SLT2100 SLENDALINE™ TANKS

CODE	DIMENSIONS (mm)	PUMP / LPM	OVERFLOW POSITION	OUTLET POSITION
SLT2100	2,400L x 720W x 1,880H no Pump	-	6:00 standard/12:00 Alt.	7:00 standard/11:00, 1:00 Alt.
SLT2100AP35	with Pump & Controller for single storey dwellings	Onga Pump / 43Lpm	6:00 standard/12:00 Alt.	7:00 standard/11:00, 1:00 Alt.
SLT2100AP45	with Pump & Controller for multi storey dwellings	Onga Pump / 55Lpm	6:00 standard/12:00 Alt.	7:00 standard/11:00, 1:00 Alt.
SLT2100APX	with Pump & Controller for multi storey dwellings	Zenox Pump / 55Lpm	6:00 standard/12:00 Alt.	7:00 standard/11:00, 1:00 Alt.
SLT2100GP	with Pump & Press control	Onga Pump / 40Lpm	6:00 standard/12:00 Alt.	7:00 standard/11:00, 1:00 Alt.

# Slendaline™ Tanks Household & Garden System



## ↑ SLT2100AP- Household System

These systems include either a 350watt(50LPM) or 450watt (70LPM) pump delivering high volume and pressure suitable for most homes including multi storey dwellings.




- 1 **Changeover device** - Neatly hidden behind an inspection cover this “state of the art” automatic changeover device switches from tank water back to mains supply when water level is low.
- 2 **Optional LCD Screen** - This state of the art unit even shows your water savings on an LCD screen inside your home!

## ↓ SLT2100GP- Garden System

This tank and pump package is designed for garden use, housing a pressure pump and constant pressure controller.

In built pipework and tap included, ideal for keeping garden green and washing cars etc. Simply position the tank, divert the downpipe and plug in the pump

Slendaline™ Diagram



SLT2100GP ^



# Slendastyle™ Tanks

**Great looking Solutions for Urban water conservation**  
The Slendastyle™ range provides Low-profile water storage options up to 5000L

The Slendastyle™ rainwater tanks have been designed as a tank with the maximum volume of water for the minimum size area.



### Standard Fittings



### Sieve Sizes

- > 400 mm sieve SLST2000-5000
- > 300mm sieve SLST1050 & 600

### Slendastyle™ Tank Series Features

- > Certified Product to AS/NZS4766:2006 tank standard
- > New modern design & FEA testing approved
- > Suits submersible pump and changeover device
- > Handgrips for easy lifting
- > Can be coupled to other tanks for even greater volume



### SLENDASTYLE TANKS™

CODE	DIMENSIONS (mm)	CAP.	OVERFLOW POSITION	OUTLET POSITION	Sieve Position
SLST600	1220L x 580W x 1265H	600 ltr (132 gal)	12:00 Std/6:00 Alt	6:00 Std/12:00 Alt	6:00 Std/12:00 Alt
SLST1050	1460L x 690W x 1515H	1050 ltr (230 gal)	12:00 Std/6:00 Alt	6:00 Std/12:00 Alt	6:00 Std/12:00 Alt
SLST2000	2290L x 600W x 2050H	2000 ltr (440 gal)	12:00 Std/6:00 Alt	6:00 Std/12:00 Alt	6:00 Std/12:00 Alt
SLST3000	2570L x 790W x 2050H	3000 ltr (660 gal)	12:00 Std/6:00 Alt	6:00 Std/12:00 Alt	6:00 Std/12:00 Alt
SLST5000	3290L x 1020W x 2010H	4980 ltr (1096 gal)	12:00 Std/6:00 Alt	6:00 Std/12:00 Alt	6:00 Std/12:00 Alt


\* Internal or external pump systems to be specified at time of order

# Household & Garden Pump Systems



SLST2000AP

Inbuilt pump system



P45AP

- > Sits externally on pavement beside tank
- > Complete packaged pump unit

## Household Pump Systems

There are 2 options available for connecting rainwater to your house.

### Option 1

Inbuilt Pump System.

Includes:

- > Mains changeover device fitted for no water interruption
- > High volume/pressure stainless steel submersible pump suitable for double-storey dwellings
- > Housing for changeover device
- > Course screen filter to protect controller

### Option 2

Place Complete Packaged Pump unit beside your tank and plumb up as shown.

Includes:

- > Mains changeover device fitted for no water interruption
- > High volume/pressure stainless steel pump suitable for double-storey dwellings
- > Housing for changeover device
- > Course screen filter to protect controller

## Garden Pump Systems

Garden Option for using stored rainwater on your garden.

Place Complete Packaged Pump unit (as shown below) beside your tank with garden tap attachment.

Includes:

- > 40lpm stainless steel pump and pressure switch
- > Pump housing - plumbed up with fittings
- > Course screen filter



PHGPS

# Poly Choice Rainwater Tanks



## Special Features

- > Available in 5 Standard Colour  
-Other Colours available on request
- > Small diameter for narrow spaces
- > Threaded outlets for easy connection to pump or hose
- > Made to Australian Standards AS-4020 & AS-2070

- > Overflow fitted at 10:30
- > 2,000-7,000 Litres  
1 Inch Female Poly Welded Outlet at 3:00 & 9:00
- > 10,000-22,500 Litres  
1½ Inch Brass Male Outlet Fitted at any position



## Standard Colours

- 1 Slate Grey - (Woodland Grey<sup>®</sup>)
- 2 Smooth Cream - (Classic Cream™)
- 3 Rivergum - (Wilderness<sup>®</sup>)
- 4 Heritage Red - (Manor Red™)
- 5 Merino - (Paperbark<sup>®</sup>)

## ROUND RAINWATER TANKS

CODE	Litres	Diameter	Inlet Height	Overall Height	Strainer	Overflow	Outlet
PCR2000	2000 ltr	1175mm	2185mm	2255mm	12:00	10:30	3:00 & 9:00
PCR4000	4000 ltr	1600mm	2150mm	2200mm	12:00	10:30	3:00 & 9:00
PCR5000	5000 ltr	1800mm	2120mm	2200mm	12:00	10:30	3:00 & 9:00
PCR7000	7000 ltr	2200mm	2020mm	2200mm	12:00	10:30	3:00 & 9:00
PCR10000	10000 ltr	2480mm	2170mm	2350mm	12:00	10:30	6:00
PCR13500	13500 ltr	2830mm	2470mm	2630mm	12:00	10:30	6:00
PCR22500	22500 ltr	3050mm	3250mm	3500mm	12:00	10:30	6:00
PCR25000*	25000 ltr	3660mm	2429mm	2731mm	12:00	11:30	6:00
PCR30000*	30000 ltr	3660mm	2822mm	3125mm	12:00	11:30	6:00

\* These models to be replaced with new smooth-wall design from July 2013





SLIMLINE RAINWATER TANKS

CODE	DIMENSIONS (mm)
PCST2000	600W x 2050H x 2290L
PCST3000	790W x 2050H x 2570L

- > Overflow Supplied Loose
- > 1 Inch Female Poly Welded Outlet at both ends

# Underground Rainwater Tanks

## Underground - Out of Sight

With the smallest footprint in the industry, Polymaster Underground Rainwater Tanks give you the maximum capacity for the minimum square meterage.



↑ Moulded spigot on each tank allows tanks to be joined using flexible tank connectors as shown.

- ↑ 1 **The Sub™** - URT5000  
Dimensions (mm): 3470L x 1600W x 1870H
- 2 **The Bell™** - URT2250  
Dimensions (mm): 1870L x 1600W x 1870H

### Approved and Tested

- > Fully tested polyethylene tank designed to withstand ground and water pressure at depth
- > Engineered by geotechnical experts including finite element analysis (FEA). These calculations come with tanks
- > Anti-flotation design and engineering specifications completed to AS1170
- > Sealed locking tamper proof lid

### BELL TANK™ - 2250 ltr Underground Rainwater Tank

CODE	DIMENSIONS (mm)
URT2250B	Tank only including lid
URT2250VF	Tank and Vortex filter
URT2250SIP	Tank and SIP400 filter
URT2250VF/PC	V-KIT complete tank & pump kit
URT2250SI/GP	SIP-KIT tank, SIP400 filter & pump kit

### SUB TANK™ - 5000 ltr Underground Rainwater Tank


CODE	DIMENSIONS (mm)
URT5000B	Tank only including lid
URT5000VF	Tank and Vortex filter
URT5000SIP	Tank and SIP400 filter
URT5000VF/PC	V-KIT complete tank & pump kit
URT5000SI/GP	SIP-KIT tank, SIP400 filter & pump kit

### UNDERGROUND TANK ACCESSORIES

CODE	DIMENSIONS (mm)
PC1100	Pressure system for submersible pump
UMFO	Backflow prevention device
URRM	Riser mould for underground tanks
DOM7535WF	Dominator submersible pump
URSIP400	Economical Filter option



# Underground Rainwater Tanks



When coupled to an underground tank system, the vortex filter is a superior low maintenance filter option.


The underground tank houses a 80 lpm submersible pump delivering high volume and pressure suitable for most homes including multi storey dwellings.

## Underground tank kit Includes

- 1 2250 or 5000 litre underground tank
- 2 Up to 80 lpm submersible dominator pump with 10 mtr cable
- 3 Float switch - integrated
- 4 Y Strainer
- 5 URSIP400 economical filter (pictured) or optional vortex filter (shown in top right image)
- 6 Tank lid riser (cut to height)
- 7 Internal pipe work supplied
- 8 PC1100 Press Control (pictured) or automatic change-over device (shown in top left image, see figure A)
- 9 Weatherproof Inline Cable Connector
- 10 Two lengths of anti-flotation bars (URT5000 only)

## Garden System URT2250SI/GP

This kit includes the economical SIP400 filter for shallow installations and automatic pressure system.



**PLEASE NOTE** - Pipe friction must be taken into account when installing pipework to guarantee required water volumes.



# Tank Accessories - Tank Stands

# Septic Tank



Polymaster's tank stands are designed to suit each tank from 600 litres to 1050 litres.

They are manufactured from galvanised steel with a treated pine platform.

## Special Features

- > Strong all galvanised steel
- > Fully supports tank
- > 520 mm high
- > Treated timber decking fitted

## The Range



SSTS10 >

^ TS600

## TANK STANDS

Code	Description
SSTS6	600ltr slendastyle stand 1210L x 650W x 520H
SSTS10	1,050ltr slendastyle stand 1450L x 700W x 520H
TS600	600ltr round tank stand 890 sq x 520H
TS1000	1,000ltr round tank stand 890 sq x 520H

v ST3000  
Weight inc. partition - 137 kg.



The first septic tank to meet the exacting demands of the Australian / New Zealand Septic Tank Standard AS/NZS 1546.1,1998.

## Special Features

- > Large capacity - 3,000 ltr or 4,000 ltr
- > Lightweight yet strong and durable
- > UV stabilised
- > Baffled unit
- > Easy transportation and installation
- > Comes complete with partition and full kit

## Kit includes

Inlet/outlet junctions, seals, inspection and access covers, stainless steel screws, detailed installation and maintenance schedules.

This Septic Tank is easily positioned and installed by plumber or drainage contractor without requiring heavy lifting equipment.

## SEPTIC TANK

CODE	DIMENSIONS (mm)	CAP.
ST3000	Septic tank 1875H x 1880DIA	3,000 ltr
ST4000	Septic tank 2150H x 1880DIA	3,900 ltr

# Vortex Fine Filter

# Diverter & Cover



This First Flush Water Diverter has been designed to fit onto the outside of most round tanks to keep your rainwater extra clean



## How the Vortex Works

Fitted to a horizontal drain pipe, it filters and diverts the rainwater to a storage tank.

### Special Features

- > Self Cleaning - captures more than 90% while cleaning your filter as well
- > Withstands up to 30 tonne vehicles
- > Extension risers available for deeper underground installation
- > Ideally used with Polymaster Underground Tanks

### Vortex Fine Filters

Code	Description
URVFO1	Vortex Filter for Roof area up to 200 square metres, with 100mm pipe entry
URVF15	Vortex Filter for Roof area up to 500 square metres, with 150mm pipe entry
URVF30	Vortex Filter for Roof area up to 3000 square metres, with 300mm pipe entry

### FIRST FLUSH WATER DIVERTER


Code	Description
FFWD	First flush Water Diverter - 40 ltr
MHCFD5	Water diverter cover to suit 300 mm inlet
MHCFD4	Water diverter cover to suit 400 mm inlet
MHCFD1	Water diverter cover to suit 600 mm inlet

### LEAF GUARD & INSPECTION COVERS

Code	Description
LWD	Leaf Eater Water Diverter
LGSO	Leaf Guard - Swivel Outlet
MHC1	Inspection cover to suit 600mm inlet
MHC3	Water entry cover to suit 400mm inlet
MHC4	Inspection cover to suit 400mm inlet
MHC5	Inspection cover to suit 300mm inlet

# Water Level Indicators

# Pump Unit & Water Filters



## Water Level Indicators

- > **LEVETATOR - LT01**  
The Levetator shows the actual water level. Trouble free use - Aluminium, Stainless Steel and treated cord. In operation since 1985.
- > **DIPSTIK - DPK1**  
360° all round visibility.
- > **LIQUIDATOR - LQ01**  
Ideal for chemical and liquid fertiliser tanks, only float in contact with liquid. (Pole not included)
- > **LEVEL DEVIL - LD01**  
Same principal as the Liquidator but suitable for tanks up to 1.8 metres high.
- > **RAIN ALERT - RALM**  
A wireless measurement device that allows you to monitor the level of your tank/s from the comfort of your own home.

## Packaged Pump Unit

- > Fits neatly beside any size tank for automatic supplementary water use via the automatic changeover device
- > Mounted and protected in poly cover
- > Simply place next to tank and hook up
- > Stainless steel pump

### Pump Unit

Code	Description
P45AP	Package pump & Changeover device (55lpm) in fully housed cover 600L x 370W x 645Hmm
PH20	Pump House only

## Water Filters

- > Removes dirt, rust, sediment, taste and odour when used with a carbon cartridge
- > PM10M will fit under sink/hand basin or onto tank
- > PM201 designed for a whole house



### WATER LEVEL INDICATORS

Code	Description
LT01	Levetator
DPK1	Dipstik - protrudes above roof
LQ01	Liquidator
LD01	Level Devil - for smaller tanks
RALM	Rain Alert wireless level indicator



### WATER FILTER

Code	Description
PLC101	10" carbon filter cartridge
PM10M	10" filter housing 20mm ports (Sink Tap)
NCP20	20" carbon filter cartridge
PM201	20" filter housing 25 mm ports (Whole House)



# Pumps & Covers

# Fire Fighting Pumps



PC01 >

GP40  
v

SMHP45  
v



## Special Features

### PUMPS

A large range of quality pumps are held in stock at special prices.

### PUMP COVERS

A strong and durable cover to house household pressure systems. Available in all tank colours.

### PUMP ACCESSORIES

Code	Description
SMHP35	Onga S/Steel centrifugal multi-stage pump up to 45 lpm
SMHP45	Onga S/Steel centrifugal multi-stage pump up to 55lpm
SMHP55	Onga S/Steel centrifugal multi-stage pump up to 65lpm
SMHP75	Onga S/Steel centrifugal multi-stage pump up to 80lpm
GP40	Onga S/Steel pressure pump up to 40 lpm
OTB10	Onga S/Steel Submersible pump
PC01	Pump cover for household pumps 620 mm H x 500 mm dia
PH20	Pump House cover
FTEC	Onga Flotec Pressure pump up to 40lpm

Many other pumps available, please call to discuss.



^ MB25L

^ BS50S

^ B55HT

< TFFK

## Special Features

### TANK FIRE FIGHTING KIT - TFFK

All fittings included as shown. This versatile tank fire fighting kit is both compact and portable. All fittings supplied to hook onto tank.

Equipped with:

- > 5.5 hp motor and fire fighting pump
- > 36 mtr fire hose reel
- > Heavy duty galvanised frame

### FIRE FIGHTING

Code	Description
TFFK	Tank Fire Fighting Kit with 36 mtr hose reel on galvanised stand
MB25L	Onga mini blaze fire fighting pump 130 lpm
BS50S	Briggs & Sttaton 5.0HP Single Impeller pump
BS50T	Briggs & Sttaton 5.0HP Twin Impeller pump
B55HT	Honda 5.5 HP Twin Impeller fire pump

# Pipeline Tanks

## Dependable and proven Packages

These tank packages are connected to pipelines for stock and domestic water supply.

Polymaster Pipeline Tank being fully Certified are now supplied with Watermark approved brass float valves certified to AS1910, as recommended by pipeline authorities.



Product Certified to Australian Standard AS /NZS 4766:2006.




1 x 90mm overflow / breather

25mm fitting & float valve assembly adjacent inspection cover

Additional 50mm outlet

1 x 65mm CFA/ CFS coupling

PIPEWORK FOR ILLUSTRATION PURPOSES ONLY



### Standard Fittings & Locations

- 12:00 Inspection Cover
- 2:30 Overflow / Breather
- 4:00 50mm Brass Outlet
- 8:00 CFA2
- 11:30 Fitting & WFV1

### PIPELINE TANKS

CODE	DIMENSIONS (mm)	CAP.
PLT9000	Pipeline tank	9,000 ltr
PLT13600	Pipeline tank	13,600 ltr
PLT22500	Pipeline tank	22,500 ltr
PLT31700	Pipeline tank	31,700 ltr

# Liquid Fertiliser Tanks



SUPPORT POLE NOT INCLUDED

Extra Heavy-Duty construction to suit liquids with a specific gravity of up to 1.5 SG.

Liquid fertiliser is increasingly popular in the field of agriculture/horticulture, having many advantages:

## Standard Features & Locations

- 12:00 Inspection Cover
- 12:30 2" stainless steel outlet / ball valve
- 12:30 2" stainless steel Camlock (bottom fill connection)
- 1:30 Liquidator - true level indicator
- 2:30 Breather / Overflow

> Molasses Tanks also available!

## LIQUID FERTILISER TANKS

CODE	DIMENSIONS (mm)	CAP.
LFT9000	Liquid fertiliser tanks	9,000 ltr
LFT13600	Liquid fertiliser tanks	13,600 ltr
LFT22500	Liquid fertiliser tanks	22,500 ltr
LFT31700	Liquid fertiliser tanks	31,700 ltr
LTFK	Optional Liquid Fertiliser Top Fill Kit	
LCT65K	Onga 6.5HP Chemical Pump	

## Benefit

- > Bulk tanker loads into heavy duty polyethylene tanks is the preferred and most economical way to store liquid fertiliser
- > Extra heavy duty wall thickness, to suit liquids up to 1.5sg.
- > Minimises wastage
- > Saves mixing time and does not settle out or need constant agitation
- > Available in standard colours.
- > Manufactured in one piece - no joins or seams, and self supporting roof (no roof support pole).
- > Strong, proven and registered design.
- > Four tie down points.
- > Available in four different sizes.

LCT65K >



## CHEMICAL PUMP KIT

- > Onga 6.5HP chemical pump
- > Suitable for Liquid Fertiliser
- > Includes frame, connecting hoses, camlock fittings



# Liquid Fertiliser Mixing Vessels



Simple & Effective Venturi Agitation

On-farm batching and blending solutions. Providing flexibility and cost efficiencies from broad acreage to viticulture.

### Self Draining Vessels:

These Open Vessels offer self draining functionality, and are capable of complete discharge of contents following the mixing process.

These systems can be supplied in kit form or pre-assembled.

### Special Features

- > 500 -> 9000L Volume Options
- > Unleaded or Diesel Pumps
- > Bypass valve for filling storage tanks
- > Safe eductor agitation - no moving parts
- > Resistant to most fertilisers and trace elements



> FT2000B  
Optional  
Lid Available



### FERTIGATION TANKS

Code	Description	Dimensions (mm)
FT2000B	Sloping base & tank 2,000 ltr	2,000dia x 1,000H
FT5000B	Sloping base & tank 5,000 ltr	2,850dia x 1,180H
FT9000B	Sloping base & tank 9,000 ltr	3,500dia x 1,280H
FTL2000	Lid to suit FT2000B	2,180dia
AVMS	Agitation Systems Available	

# The Quality Process

## Product Certification License No: SMKP 21429

Granted to  
Polymaster Pty Ltd  
by SAI Global



Manufactured to  
AS/NZS 4766:2006  
Polyethylene storage tanks  
for water and chemicals



Innovative Products  
Engineered to Last



## The Polymaster Difference



### Top Grade Materials

At Polymaster we insist on using fine quality, certified grade polyethylene (hexene) for our products. This durable material ensures all products are fully UV-stabilized to AS4766 in all colours. View the production process video online at [polymaster.com.au](http://polymaster.com.au)

### Design & Manufacturing

Designed for reliability and manufactured under strict control, all of our products are thoroughly tested and trialled before we even consider making them available for purchase. Labels with serial numbers provide complete traceability on all products.

### Product Certification

Our rainwater tanks received product certification from SAI Global to Australian Standard AS/NZS 4766: 2006 License No. SMKP 21429. So you can be sure you're getting high quality tanks that are eligible for that latest water rebate.



### International Recognition

It's one thing to say you're dedicated to quality. It's another thing when the international regulators agree. Polymaster is ISO9001 Quality Management System certified. Which means we meet the international standards for consistent results and continual improvement in our processes.



"Their word is their bond. If Polymaster says they will do it, they do it."

26-33

## Stock Troughs

---

- > Supa Troughs
- > Sweep Troughs
- > Stock Watering Troughs
- > Master Tub Troughs
- > Longline Troughs
- > M Series Troughs
- > PTW Round Troughs
- > Continuous Dry Feed Troughs
- > Hay & Grain Feeders






# Supa Troughs™



Unique Trough  
can service  
Two paddocks!

Unique all-poly construction.  
Durable and portable.  
No chance of rusting.

- > Great for watering large numbers
- > Can service two paddocks either side of the fence
- > Ideal for both the broad acre grazier and the hobby farmer
- > Central fill point spreads fresh water for animal satisfaction



SPT9 >

## Special Features

- > One-piece trough incorporating float cover.
- > 25 mm large bore sleeve valve. Max rating 965 KPA
- > Long lasting UV resistant polyethylene (no parts to rust).
- > Ribbed for added strength.
- > Raised cover allows trough to fill to brim
- > Higher rating valves available on request



## SUPA TROUGHS

Code	Dimensions	Cap.	Price (inc. GST)
SPT5	1,500 (5')L x 600W x 375H	250 ltr	\$395.00
SPT9	2,700 (9')L x 600W x 375H	450 ltr	\$495.00
SPT12	3,700 (12')L x 600W x 375H	600 ltr	\$715.00

## Special Features

- 1 75mm drain bung each end
- 2 Easy access to float valve



IDEALLY SUITED FOR  
- Cows, Calves, Sheep, Goats and Horses.

## The Range



SPT5 >

SPT9 >

SPT12 >



# Sweep Trough

# Stock Watering Tank



An all poly, sweep out trough that's user friendly. Ideal sheep trough for dusty areas. Minimises water wastage and maximises water efficiency when cleaning.

### Special Features

- > Hinged float cover
- > 25 mm float valve (Optional 32 mm or 40 mm valves available if required, max. rating 965 KPA)
- > Easy cleaning, smooth sweep out end
- > Double walled, fully supported trough
- > Protected float valve area
- > Easy to move around the paddock
- > 50 mm drain bung fitted

#### SWEEP TROUGH

Code	Description	Cap.	Price (inc. GST)
SWP11	3,500 (11'6")L x 540W x 360H	200 ltr	\$594.00
STB1	Sweep through Broom (as illustrated)		\$55.00



Ensures large water reserves at all times. Ideally used in conjunction with pipeline applications.

- SWT4500 >
  - Pipework not included
- SWT15 >
  - Trough can be purchased separately



### Special Features

- 1 Inspection cover
- 2 25 mm tank inlet and 25 mm float valve supplied
- 3 25 mm float valve mounted in bottom of wall to maintain level in trough
- 4 Full float cover to protect valve from stock damage
- 5 75 mm drain bung in trough

▲ 4500 Ltr Capacity

#### STOCK WATERING TANK


Code	Description	Cap.	Price (inc. GST)
SWT4500	2,500 (8'4")dia x 2,000H (Completed Unit)	4,500 ltr	\$1,790.00
SWT15	2,500 (8'4") dia x 375H (trough only)	1,500 ltr	\$660.00



# Master Tub Troughs

The **ultimate** in round troughs.

- > Very strong, robust design
- > Easy to service
- > Full float protection
- > New 75 mm bung - great cleaning
- > Drain bung at very base of trough all water will empty out
- > "Quick release" float cover
- > Easy service 1" float valve
- > Higher rating valves available on request



- 1 75mm Drain Cap
- 2 Quick Release Float Cover
- 3 MT2 - Most popular trough



MT2 >

MT6 >

^ MT12




^ MT45

MT24 >

## Special Features

- > Float enclosure moulded as part of trough
- > Raised float allows trough to fill completely
- > All pipe work protected by trough surround
- > Completely round trough rim - no protruding parts
- > Ribbed for added strength
- > New slide up access cover with quick lock pin protects float

 IDEAL FOR  
- Cows, Calves, Sheep, Goats and Horses.

 PLEASE NOTE - Troughs need to be kept near full to ensure no stock damage.

## MASTER TUB TROUGHS - WITH ENCLOSED FLOAT

Code	Dimensions	Cap.	Price (inc. GST)
MT2	970 (3'2") dia x 375H	200 ltr	\$297.00
MT6	1,400 (4'7") dia x 520H	600 ltr	\$484.00
MT12	1,765 (5'9") dia x 600H	1,200 ltr	\$682.00
MT24	2,380 (7'10") dia x 650H	2,400 ltr	\$979.00
MT45	3,370 (11') dia x 640H	4,500 ltr	\$1,195.00

## HIGH VOLUME FLOAT VALVE (MAX PRESSURE 65PSI\*)

Code	Dimensions	Price (inc. GST)
AFV4B	40mm sleeve valve incl 50mm Brass Outlet	\$165.00
AFV6L	25mm piston valve long arm 1400KPA rating	\$27.50


\*Optional on MT24 and MT45



# Longline Troughs



Trough Section



2

Water Feature



- 1 PT22F - 1800mm
- 2 FEATURE - 25mm valve and float cover. fitted to all Longline Water Troughs.




IDEAL FOR  
- Cows, Calves, Sheep, Horses, Emus  
and much more!

## LOGLINE WATER TROUGHS

- Inc. 25mm Valve and 50mm Drain Bung

Code	Dimensions	Cap.	Price (inc. GST)
PT09W	1,200 (4')L x 450W x 300H	98 ltr	\$297.00
PT08W	1,200 (4')L x 450W x 450H	98 ltr	\$339.00
PT22W	1,800 (6')L x 450W x 300H	145 ltr	\$407.00
PT21W	1,800 (6')L x 450W x 450H	145 ltr	\$418.00
PT07W	2,400 (8')L x 450W x 300H	190 ltr	\$517.00
PT06W	2,400 (8')L x 450W x 450H	190 ltr	\$528.00
PT19W	3,600 (12')L x 450W x 300H	288 ltr	\$748.00
PT18W	3,600 (12')L x 450W x 450H	288 ltr	\$770.00
PT17W	4,800 (16')L x 450W x 300H	380 ltr	\$850.00
PT16W	4,800 (16')L x 450W x 450H	380 ltr	\$880.00

All troughs available as water or feed, 300mm or 450mm high stands.



## The Range

From top to bottom  
PT09F, PT22F, PT07F,  
PT19F, PT17F

## Special Features

- > Light and easy to move around
- > UV stabilised
- > Provision for pegging down
- > 50 mm drain bung in all feed and water troughs
- > Tough durable polyethylene liner
- > Strong 25 mm square galvanised tube
- > Float valve protected by cover

## LOGLINE FEED TROUGHS


- No Float - Inc. 50mm Drain Bung

Code	Dimensions	Cap.	Price (inc. GST)
PT09F	1,200 (4')L x 450W x 300H	98 ltr	\$242.00
PT08F	1,200 (4')L x 450W x 450H	98 ltr	\$255.00
PT22F	1,800 (6')L x 450W x 300H	145 ltr	\$360.00
PT21F	1,800 (6')L x 450W x 450H	145 ltr	\$375.00
PT07F	2,400 (8')L x 450W x 300H	190 ltr	\$407.00
PT06F	2,400 (8')L x 450W x 450H	190 ltr	\$425.00
PT19F	3,600 (12')L x 450W x 300H	288 ltr	\$650.00
PT18F	3,600 (12')L x 450W x 450H	288 ltr	\$675.00
PT17F	4,800 (16')L x 450W x 300H	380 ltr	\$690.00
PT16F	4,800 (16')L x 450W x 450H	380 ltr	\$726.00

\* All troughs over 2400(8') long are supplied in two assembled sections which require bolting together.

# M Series Troughs

# PTW Round Water Troughs



An economical all poly trough, light and easy to handle. Available with float for water trough or bare for feed trough.



## The Range

From top to bottom PTM34W, PTM33W, PTM32W, PTM31W



## Special Features

- > Stackable
- > Easily lifted to drain water out of trough
- > Can be pegged down
- > All poly - will not rust
- > Suits all livestock

## M FEED TROUGHS

Code	Dimensions	Cap.	Price (inc. GST)
PTM31F	2,400 (8')L x 460W x 175H	140 ltr	\$209.00
PTM32F	1,800 (6') x 460W x 175H	100 ltr	\$185.00
PTM33F	1,200 (4') x 460W x 175H	60 ltr	\$140.00
PTM34F	750 (30") x 460W x 175H	35 ltr	\$ 88.00

## M WATER TROUGHS

- inc 15 mm float valve and cover (no drain bung)

Code	Dimensions	Cap.	Price (inc. GST)
PTM31W	2,400 (8')L x 460W x 175H	140 ltr	\$285.00
PTM32W	1,800 (6')L x 460W x 175H	100 ltr	\$235.00
PTM33W	1,200 (4')L x 460W x 175H	60 ltr	\$195.00
PTM34W	750 (30")L x 460W x 175H	35 ltr	\$149.00

## The Range



Armless Float Valve. This stock proof valve comes in two sizes and can be fitted to any size trough.

## Special Features

- > Clear open trough (no float or cover)
- > 3" drain bung supplied

## PTW TUB TROUGHS - BARE - No float fitted to trough

Code	Description	Cap.	Price (inc. GST)
PT12W	1,000 (3') dia x 420H	250 ltr	\$170.00
PT10W	1,200 (4') dia x 500H	500 ltr	\$295.00
PT11W	1,600 (5'3") dia x 600H	1000 ltr	\$395.00
PT13W	2,100 (7') dia x 600H	2000 ltr	\$695.00
PTWK8	25 mm armless float valve inc. 25 mm fitting		\$ 135.00
PTWK9	40 mm armless float valve inc. 40 mm fitting		\$ 175.00



# Continuous Dry Feed Trough



CFT8 >

## Special Features

- > Minimises waste when feeding.
- > Flexible & Durable
- > End to end linking feature, (any amount can be joined together)
- > Available with ends on request



**FEATURE**  
Holds approx 8 kg of Oats / Barley per metre.

### CONTINUOUS DRY FEED TROUGH

Code	Description	Price (inc. GST)
CFT8	2,320L x 230W x 85H	\$59.00
FTP9	Anchoring pegs for continuous troughing (pack of 6)	\$16.50

# Grain Saver

- > Trough fits inside most hay rings
- > Ideal for feeding cattle while protecting feed
- > Dual purpose for hay ring when not feeding hay
- > Grain saver slopes to edge of trough so that grain is always within easy reach

### GRAIN SAVER

Code	Description	Cap.	Price (inc. GST)
GRF400	1,800 dia. x 350H trough	400 Ltr	\$395.00
FTL2000	Poly Lid for Hay Ring - 2,180 dia.		\$330.00

# Hay & Grain Feeder



## Special Features

- > Fits full bale of hay
- > Hinged lid
- > Feeding Trough in base
- > Covered from weather
- > Now on 450mm stand
- > Can be pegged down




< HGF13

### HAY & GRAIN FEEDER

Code	Dimensions	Price (inc. GST)
HGF13	Hay & Grain Feeder 1300L x 1150W x 1200H	\$975.00

FTL2000 >

GRF400 >



FRAME FOR ILLUSTRATION PURPOSES ONLY



# PolyChoice Troughs



This affordable trough range is for you! From the casual hobbyist to the serious farmer, this new innovative range comes in black complete with covered in float valve and 2inch drain bung.



< PCTRI20



PCTR22 >

PCTR66 ^



PCTR24 >



PCTR12 >

## Special Features

- > Enclosed float compartment to avoid stock access.
- > Very strong perimeter rim to prevent stock damage
- > 3 popular sizes
- > Unique lift up flap for easy float access



## ROUND TROUGHS

Code	Diameter(mm)	Cap.	Price (inc. GST)
PCTR22	1000D X 400 H	220ltr	\$198.00
PCTR66	1500D X 500 H	660ltr	\$299.00
PCTRI20	1900D X 530 H	1200ltr	\$490.00

## LONG TROUGHS

Code	Dimensions	Cap.	Price (inc. GST)
PCTR12	1200L x 600W x 375 H	160ltr	\$229.00
PCTR24	2400L x 600W x 375 H	360ltr	\$375.00

"Polymaster works together with us for shared success."

**Polymaster**  
agriculture

34-36

## Feeders & Drinkers

- > Stable Drinkers
- > Hayracks
- > Fence Feeders
- > Poly Choice Feeders



# Stable Drinkers

# Hayrack



- ▶ PT50W > (45 ltr)
  - ▶ PT49W (25 ltr)
  - ▶ PT48W (8 ltr)
  - ▶ PT04W (5 ltr)
- > Moulded float cover
  - > Very strong solid mounting flanges
  - > Drain bung for cleaning
  - > Available with optional brackets for fence hanging

**COLOUR RANGE**

1	2
3	4

1 Lime Green    2 Pink  
3 Purple    4 Heritage Green (Standard)

Available for all Fence Feeders & Drinkers

**✓ IDEAL FOR**  
- Horses, Calves, Dogs, Emus, Chickens and Pigs.

## HORSE TROUGH

- > Can be used for water or feed.
- > Drain bung for easy cleaning.
- > Ideal for measuring the quantity of water consumed per day.
- > Dimensions  
640W x 520D x 420H  
(Overall height 600mm)



▶ PT60S



PTO3 >

- > Large feed bin saves feed wastage.
- > Fits whole biscuit of hay.
- > Fits on rail or fence.



## STABLE DRINKERS & HAYRACK

Code	Description L x W x H (mm)	Cap.	Price (inc. GST)
PT48W	300 x 300 x 224	8 ltr	\$99.00
PT48WB	PT48W fitted with brackets	8 ltr	\$125.00
PT49W	440 x 380 x 350	25 ltr	\$145.00
PT49WB	PT49W fitted with brackets	25 ltr	\$169.00
PT50W	490 x 430 x 440	45 ltr	\$165.00
PT50WB	PT50W fitted with brackets	45 ltr	\$189.00
PT04W	350 x 350 x 150	5 ltr	\$105.00
PTO3	Hayrack 600 x 500 x 700	-	\$189.00

## HORSE TROUGHS

Code	Description	Cap.	Price (inc. GST)
PT60B	Horse trough with brackets (Green)	60 ltr	\$121.00
PT60S	Horse trough with frame (Green)	60 ltr	\$195.00



# Fence Feeders



## 14 LTR POLYCHOICE FEEDER - PCF14

### Special Features



- > Very robust design
- > Will not corrode
- > Economical feeding option
- > No brackets required



PCF25 >

## 32 LTR STABLE FEEDER - PT14

### Special Features

- > Replaces old tin feeder
- > Very robust, will not corrode or dent
- > Galvanised brackets inside and out
- > Most popular product



## 32 LTR CORNER FEEDER - PT15

### Special Features

- > Designed for corner of stable
- > Replaces old tin feeder
- > Very robust, will not corrode or dent
- > Galvanised brackets inside and out



## TYRE FEEDER - PTF18

### Special Features

- > Virtually indestructible trough
- > Suitable for all livestock
- > Utilises your unwanted tyres
- > Fits from 14" to 16" tyres
- > Saves wastage of feed
- > Will not easily tip or spill



## 45 LTR FEEDER - PTO2

### Special Features

- > 50mm drain bung for ease of cleaning
- > Strong galvanised steel for wall mounting bracket
- > Can be ordered with flat stable brackets (PTO2FS)



### COLOUR RANGE

- 1 Lime Green
- 2 Pink
- 3 Purple
- 4 Heritage Green (Standard)

Available for all Fence Feeders & Drinkers  
- Exc. Polychoice Feeder

### FENCE FEEDERS

Code	Description L X W X H (mm)	Cap.	Price (inc. GST)
PT15	Corner feeder 450 x 450 x 270	32 Ltr	\$69.00
PTO2	Feeder with fence hanging brackets 540 x 410 x 380	45 Ltr	\$110.00
PTO2FS	PTO2 with flat stable brackets	45 Ltr	\$139.00
PT14	Stable Feeder 440 x 400 x 250	32 Ltr	\$69.00
PTF18	Tyre Feeder 440dia x 195H	18 Ltr	\$29.00
PCF25	Poly Choice Feeder Flange Mount 350 x 350 x 250	25 Ltr	\$49.00

37-40

# Animal Care Products

---

- > Footrot Baths
- > Dinkum Doghouses
- > Molasses Feeders
- > Buckets, Scoops & Steps
- > Poultry Feeders & Drinkers



# Footrot Baths



## 1 STANDING TYPE FOOTROT BATH

### Special Features

To control hoof diseases in sheep and goats.

Use with portable yard to keep animals confined.

- > Lightweight for ease of handling. Non-slip floor
- > Will not rust, rot, chip or flake. Fully chemical resistant
- > Dimples in base open foot, ensuring penetration
- > Smooth, hygienic and easily cleaned
- > End to end linking facility - join any amount together
- > Not recommended for cattle & horses



## 2 RACE TYPE FOOTROT BATH

### Special Features

This Race Type Footrot Bath has an end to end linking feature ideal for placing in a sheep race.

Unique pyramid shaped rib through centre of trough to:

- > Keep hooves either side of the trough
- > Give added strength and support to trough floor
- > Reduce amount of solution needed to treat stock

### FOOTROT BATHS

Code	Description	Capacity	Price (inc. GST)
FRB	Footrot Bath 2,530L x 1,000W x 200H	45mm (1.75") high = 100 ltrs 90mm (3.5") high = 200 ltrs 125mm (5") high = 300 ltrs	\$440.00
RFRB	Race Type Footrot Bath 2,400L x 480W x 200H	50mm (2") high = 35 ltrs 100mm (4") high = 80 ltrs max	\$275.00



# Dinkum Doghouses



## Special Features

- > All one piece (corrugated) for strength & versatility.
- > Cooler in summer, warmer in winter.
- > UV resistant Polyethylene.
- > Rear venting to create air flow.
- > Hygienic, easily washed out.



^ TDD1



^ TDD2



^ TDD3

### COLOUR RANGE



- 1 Heritage Red
- 2 Light Grey
- 3 Mist Green
- 4 Wheat (TDD1/ TDD2 only)

## DINKUM DOG HOUSES

Code	Description	Price (inc. GST)
TDD1	1,050L x 780W x 690H - Dinkum Doghouse 1	\$220.00
TDD2	680L x 460W x 640H - Dinkum Doghouse 2	\$154.00
TDD3	1,060L x 860W x 780H - Log Cabin	\$253.00

# Molasses Feeder



## Special Features

- > All poly proven design for molasses.
- > Urea feeding and bloat control.
- > Popular with cattle. Removable roller for cleaning.
- > Floating roller - no metal bearings.
- > High strength UV stabilised polyethylene.



PT05 >



**CAUTION** - Special care should be taken when administering urea and other supplements, excess consumption can cause death.

## MOLASSES FEEDERS

Code	Description	Cap.	Price (inc. GST)
PT05	880L x 700W x 420H	100 ltr	\$385.00

# Buckets, Scoops & Steps

# Poultry Feeders & Drinkers

✓ Ideal for piggeries, grain sheds or hobby farmer.



PREMIUM BUCKET

1 POB20

< HANDI BUCKET

2 HB16



PP45F



COLOUR RANGE

- 1 Pink
- 2 Purple
- 3 Trans Green
- 4 Yellow
- 5 Lime Green

HSP >



3 POLY SCOOPS

4 HANDI STEPS  
S.W.L 120KG



PSC >

POLY BUCKETS

Code	Description	Cap.	Price (inc. GST)
POB20	Premium Bucket	20 ltr	\$49.00
HB16	Handi Bucket	16 ltr	\$25.00

POLY SCOOPS & HANDI STEPS

Code	Description	Price (inc. GST)
PSC	Poly Feed Scoop	\$19.00
HSP	Handi Steps 700L x 600H x 400W - Grey	\$169.00

## Special Features

- > Holes reduce feed wastage, UV stabilised for long life
- > Peaked lids to prevent poultry perching on feeder



PP45F & PP45HD

PP44F

PP44W

PP45W

## POULTRY FEEDERS AND DRINKERS

Code	Description	Cap.	Price (inc. GST)
PP44F	Poultry feeder	8 ltr	\$88.00
PP44W	Poultry drinker	8 ltr	\$77.00
PP44HD	Weather hood (8 ltr feeder)	-	\$35.00
PP45F	Poultry feeder	26 ltr	\$110.00
PP45W	Poultry drinker	26 ltr	\$99.00
PP45HD	Weather hood (26 ltr feeder)	-	\$40.00



"If every company were like Polymaster it would be a great thing."



41-47

## Calf Feeding

- > Mobile Gravity Milk Feeders
- > Trough Feeder & Milk Transporter
- > Fence Hung Gravity Feeders
- > Divisional Feeder
- > Calf Teats & Lamb Feeders
- > Milk Test Buckets
- > Dry Feeding





# Mobile Gravity Milk Feeders

Calf rearing doesn't get any easier than this.

Only Polymaster calf feeders have all the features and benefits that make the Australian calf rearing job that much easier. Continually improving models to make calf feeding more pleasurable.

Milk is at the teat as soon as the valve is turned on.



MG50P



&lt; MG60P



&lt; MG50P



&lt; MG40P

## Special Features

- > Available with screw-on peach teats
- > Fully hot dipped galvanised frame
- > Screw-on teats can be replaced with blanks to match the number of teats to the number of calves
- > Adjustable fold away jockey wheel
- > Built in backwash for all trailer units
- > Retractable drawbar
- > Self Cleaning washing head used in tank
- > 2 x large hinged filling lids
- > Floating level indicator
- > Sump drains to front of unit for bucket filling or easy cleaning
- > Two cleanable manifolds, controlled by two valves

## TRAILERS fitted with screw-on Peach Teats

CODE	DIMENSIONS (mm)	CAP.	PRICE (inc GST)
MG40P	40 teat mobile gravity feeder	400 ltr	\$3,290.00
MG50P	50 teat mobile gravity single axle feeder	400 ltr	\$3,850.00
MG50LTAP	50 teat mobile large tandem wheels	800 ltr	\$4,750.00
MG60P	60 teat mobile large tandem wheels	800 ltr	\$5,390.00

# Trough Feeder & Milk Transporter

Mobile Mixer & Tanker has an amazing capacity of 400 litres

This product allows you to mix while travelling and fill feeders in seconds simply by hand held nozzle. Saves you time, mess and hassle!



MMT400



1 MMT400



2 RMT

## 2 Riverina Milk Transporter

- > Ideal for transporting milk from dairy to calf sheds
- > 200 litre tank capacity
- > Very stable unit with 16" wheels (sealed bearings)
- > Towable behind ATV or ute
- > Includes a 1" ball valve and outlet

## 1 Mobile Mixer & Tanker 400 Ltr

- > Saves time, mess & hassle!
- > Unique twin blend mixing head
- > Proven galvanized frame and design
- > 6 metre hose & nozzle
- > Internal tank wash system
- > 2.5HP 4 stroke pump- 130Lpm
- > Includes Level Gauge



3

## 3 Milk Transfer Pump Kit

- > 12v submersible pump kit 110 lpm.
- > Ideal for transferring milk from tank to calf feeders
- > Suitable for pumping milk and salt water
- > Available as kit or fitted to any feeder

▲ MTP110  
Milk Transfer Submersible Pump Kit & 2m Hose

### MILK TRANSPORT / MILK TRANSPORT PUMP KIT

CODE	DIMENSIONS (mm)	CAP.	PRICE (inc GST)
MMT400	Mobile Mixer & Tanker	400 ltr	\$3,690.00
RMT	Riverina Milk Transporter	200 ltr	\$1,290.00
MTP110	Milk Transfer Submersible Pump Kit	110 lpm	\$179.00



# Fence Hung Gravity Feeders

A huge range of Calf Feeders for every situation

Polymaster's complete range of calfaterias (milkmaid feeders) have been thoroughly tested and proven to efficiently feed calves from the first day through to weaning. A must for every calf rearer. Polymaster has the largest range of feeders, made in Victoria, for Australia.



## Special Features

- > Generous teat spacing allows calves room to feed
- > UV stabilised poly for long outdoor use
- > 2.5 litres each division - MM5, MM8
- > 2.0 litres each division - MM12, MM13
- > Teat cap easily unscrews to wash out feeder
- > Adjustable galvanised hanging brackets to suit rail spacing



< MM5P



< MM8S



^ MBS



^ MM1S



^ CF3P



^ CF5S



✓ MM12S



✓ CF12P



✓ CF13P



✓ MM13S



# 20 Teat Divisional Feeder



< SC1TP

Peach Teat  
Screw Cap  
with internal thread

Standard  
when ordering feeders  
with Peach Teats.



MM20S >  
1000D x 860H o/all

## MILKMAID FEEDERS with screw-on Peach Teat

CODE	DIMENSIONS (mm)	CAP.	PRICE (inc GST)
MBP	Single teat milk bottle	2 ltr	\$42.00
MM1P	Single teat milkmaid	5 ltr	\$55.00
MM5P	5 teat individual feeding divisions	30 ltr	\$159.00
MM8P	8 teat individual feeding divisions	40 ltr	\$259.00
MM12P	12 teat individual feeding divisions	70 ltr	\$339.00
MM13P	13 teat individual feeding divisions	70 ltr	\$399.00
CF3P	3 teat milk bucket - no divisions	10 ltr	\$115.00
CF5P	5 teat calfateria - no divisions	25 ltr	\$149.00
CF12P	12 teat calfateria - no divisions	70 ltr	\$299.00
CF13P	13 teat calfateria - no divisions	70 ltr	\$379.00

## MILKMAID FEEDERS with screw-on PolyTeat and valve

CODE	DIMENSIONS (mm)	CAP.	PRICE (inc GST)
MBS	Single teat milk bottle	2 ltr	\$40.00
MM1S	Single teat milkmaid	5 ltr	\$53.00
MM5S	5 teat individual feeding divisions	30 ltr	\$155.00
MM8S	8 teat individual feeding divisions	40 ltr	\$239.00
MM12S	12 teat individual feeding divisions	70 ltr	\$325.00
MM13S	13 teat individual feeding divisions	70 ltr	\$375.00
CF3S	3 teat milk bucket - no divisions	10 ltr	\$110.00
CF5S	5 teat calfateria - no divisions	25 ltr	\$140.00
CF12S	12 teat calfateria - no divisions	70 ltr	\$279.00
CF13S	13 teat calfateria - no divisions	70 ltr	\$365.00

A 20 teat divisional free standing calf feeder making sure each calf gets its share.

## Special Features

- > 2.5 litres each division
- > Available with screw-on poly or peach teats
- > Easy access to all teats
- > Free standing unit - feeds 20 calves
- > Rigid galvanised stand
- > Splayed frame - resists tipping

## 20 TEAT DIVISIONAL FEEDER

CODE	DIMENSIONS (mm)	CAP.	PRICE (inc GST)
MM20S	Fitted with 20 poly teats	100 ltr	\$620.00
MM20P	Fitted with 20 peach teats	100 ltr	\$650.00

# Lamb Feeder & Teats

## Peach Teat

Available on all Calf Feeders from Polymaster. The popular peach teat has continued to be the preferred teat for calf acceptance and ease of feeding.

## Poly Teat

Polymaster's screw-on poly teat has made a real breakthrough in the field. Being able to clean a teat and feeder thoroughly is a must in an environment where bacteria thrives.



## Special Features - Poly Teat

- > All long lasting polyurethane.
- > Will not absorb moisture or chemicals in comparison to natural rubber.
- > All teats compatible to Polymaster's screw-on feature.
- > Available with cap and valve if required.
- > Now even softer.
- > Fully removable for thorough cleaning and storage.
- > Can use with or without valve to adjust feeding rate.

## Peach Teat & Poly Teat



Any fence hung gravity feeder can be used as a lamb feeder.

## Special Features

- > Lamb teats can be fitted to any fence feeder.
- > Lamb teats can screw onto soft drink bottle.
- > Can also be used for goats

## CALF TEATS

CODE	DIMENSIONS (mm)	PRICE (inc GST)
SSCT	Poly teat including cap & valve	\$6.90
SCS	Screw cap for poly teats	\$2.50
SCT	Poly calf teat including valve	\$5.75
PCT/SCIT	Peach teat with internal thread cap	\$11.90
PCT/SC	Peach calf treat pulled through screw cap	\$9.90
SCP	Screw cap suitable for peach teats	\$2.90
PCT	Peach calf teat only	\$7.90
SCITP	Screw cap with internal thread for peach teats	\$6.60

## LAMB FEEDERS AND TEATS

CODE	DIMENSIONS (mm)	CAP.	PRICE (inc GST)
FLBF	Flexible lamb bottle feeder	1 ltr	\$ 27.50
MBL	Milk bottle with lamb teat	2 ltr	\$42.00
CF3L	3 teat milk bucket - no divisions	10 ltr	\$115.00
MM5L	5 teat lambar - ind. feeding divisions	30 ltr	\$159.00
MM8L	8 teat lambar - ind. feeding divisions	40 ltr	\$259.00
MM12L	12 teat lambar - ind. feeding divisions	70 ltr	\$339.00
LT/SC	Lamb teat through screw cap		\$8.80
LT/BC	Lamb teat through bottle cap		\$7.70

# Milk Test Buckets

# Dry Feeding



## Special Features

- > Exceptionally strong.
- > Robust; will not dent.
- > Stainless steel handle.
- > Easy to clean; no unhygienic crevices.
- > Pipe attachments to suit 5/8" or 3/4" tubing.
- > Handle grips on bottom for ease of pouring.




## MILK TEST BUCKETS

CODE	DIMENSIONS (mm)	CAP.	PRICE (inc GST)
PTB25	Test Bucket 490H x 300 dia	25 ltr	\$249.00
PTB32	Test Bucket 510H x 330 dia	32 ltr	\$279.00

## PELLET FEEDERS

CODE	DIMENSIONS (mm)	CAP.	PRICE (inc GST)
PTC36F	Trough 2,400 (8') x 300 x 600	68 kg	\$285.00
PTC37F	Trough 1,800 (6') x 300 x 600	52 kg	\$250.00
KSC	Calf hopper - fence mounted	40 kg	\$235.00
KSCL	Calf hopper with lid	40 kg	\$265.00

PTC36F >



## Longline Pellet Troughs

### Special Features

- > Height of frame 600 mm.
- > Galvanised frames with splayed legs for greater stability.
- > Poly trough liner - will not rust, very durable.

## Fence Pellet Feeder > KSC

### Special Features

- > Steel mounting brackets.
- > Adjustable galvanised baffle to vary feed flow.
- > Holds 40 kg.
- > Available with lid.







48-54

## Storage & Farm Equipment

- > Feed Storage Tubs & Bins
- > Stackable Bins & Containers
- > B-ute Boxes
- > Handi & Truck Water Tanks
- > Bulka Bins
- > Silomaster
- > Maxi Bins
- > Tractor Roof
- > Grain Hopper & Shovels



# Feed Storage Tubs & Bins

# Stackable Bins & Containers



## The Essential Storage Systems

With applications spanning across multiple Industries, these robust Storage Tubs offer "Stack or Nest" functionality and easy to clean interior surfaces.

Moulded from durable and UV Protected Polyethylene, these tubs are suited to heavy duty applications.

## Special Features

- > Rust free poly construction
- > Tubs stack and nest (stack with lid)
- > Lid available for all sizes
- > Colour coding available
- > Food grade polyethylene
- > Easy to clean

## FEED STORAGE TUBS & BINS

CODE	DIMENSIONS (mm)	PRICE (inc GST)
FSB200	520W x 860H x 560D	\$198.00
FST100	Tub 1000L x 300H x 580W	\$75.00
FST100L	100 Ltr Tub with Lid	\$99.00
FST200	Tub 1000L x 570H x 580W	\$110.00
FST200L	200 Ltr Tub with Lid	\$135.00
FST300	Tub 1165L x 730H x 580W	\$149.00
FST300L	300 Ltr Tub with Lid	\$169.00

## Stackable Bins

- > Available with or without weather/vermin-proof lid
- > Resistant to most chemicals and no rusting
- > Highly durable & completely food grade
- > Wheelie Options available for 100 & 200 Litre Bins

## Drum Top Covers

- > Keeps water and contaminants out of oil drums
- > A handy lid for old 205 ltr drums

## Storage Containers

- > These hexagonal storage containers interlock together creating a perfect spot to store those many parts you have.
- > Can also be used as a chook laying box, small kennel for your cat and much more.

## STACKABLE BINS / DRUM TOP COVER / STORAGE CONTAINERS

CODE	DIMENSIONS (mm)	CAP.	PRICE (inc GST)
SB50	50 LTR BIN 450 DIA. X 500H	-	\$69.00
SB50L	50 LTR BIN WITH LID 450 DIA. X 500H	-	\$89.00
SB100	100 LTR BIN 530 DIA. X 700H	-	\$85.00
SB100L	100 LTR BIN WITH LID 530 DIA. X 700H	-	\$109.00
SB200	200 LTR BIN 660 DIA. X 850H	-	\$125.00
SB200L	200 LTR BIN WITH LID 660 DIA. X 850H	-	\$149.00
SB100LW	100 LTR bin with lid and wheels	-	\$220.00
SB200LW	200 LTR bin with lid and wheels	-	\$250.00
PTC6	Drum top cover to suit 205 LTR	600mm	\$45.00
SPC1	500L x 420W x 370H	30 ltr	\$59.50
SPC2	300L x 200W x 175H	7 ltr	\$29.50




# B-ute Boxes

# Handi Tank & Truck Water Tank



## Special Features

- > Flush zinc mounted hardware.
- > Raised weather resistant lid seal.
- > Standard with removable internal tray.
- > UV resistant polyethylene will not rust or corrode.



**COLOUR RANGE**  
 1 Blue 2 Black  
 3 Light Grey 4 Red

FHRC 36 >



^ FIRE HOSE REEL COVER

Protects reel, hose and nozzle from UV breakdown and weather damage

BT1 >

**BUTT TIDY**  
 Cigarette butt receptacle



## B'UTE BOX / FIRE HOSE REEL COVER/ BUTT TIDY

CODE	DIMENSIONS (mm)	CAP.	PRICE (inc GST)
BUC26	1,170L x 570W x 400H - (Colour)	266 ltr	\$374.00
BUC14	970L x 400W x 360H - (Colour)	140 ltr	\$297.00
TBC20	Tradesman Box 980L x 390W x 600H	200 ltr	\$319.00
BT1	Butt Tidy 400 Dia x 1000 H		\$205.00
FHRC36	575Lx250Wx600H - Suits 36m Reel		\$107.00
FHRC50	575Lx270Wx600H - Suits 50m Reel		\$114.00

## Special Features

- HANDI TANK**
  - > All poly, 28 ltr capacity
  - > Rigid food grade polyethylene
  - > 20 mm brass tap provided at the base of the tank
  - > 20 mm bung provided at top for easy filling
  - > 415L x 240W x 380H mm
- TRUCK WATER TANK**
  - > All poly, 60 litre capacity
  - > 20 mm tap provided at the base of the tank
  - > 20 mm bung provided at top for easy filling.
  - > Available in Grey, White and Black
  - > 600L x 390W x 390H mm



**IDEAL FOR**

- Washing hands, drinking and many other uses

## VEHICLE TANKS

CODE	DESCRIPTION	CAP.	PRICE (inc GST)
TWT60	Truck water tank only	60 ltr	\$125.00
TWT60S	Truck water tank with mounting bracket and strap		\$199.00
HT28	Handi tank only	28 ltr	\$79.00
HT28P	Handi tank with mounting plate		\$129.00



# Bulka Bins

Now with  
Stainless Steel  
chutes and improved  
fork channels!

## Bulka Bins

From grain to fertiliser, the Bulka Bin range continues to provide new solutions for dry bulk storage and dispensing requirements.

-  **SUITABLE FOR**
- Grain, fertiliser, calf pellets etc.
  - Bulk hopper for super spreaders.
  - Great for feeding out grain to stock.



1  
BB12



2  
BB12XL

### Special Features

- 1 BULKA BIN**
  - > Stackable all poly hopper, will not rust
  - > New improved stainless steel chute operation, fully water resistant covered lid, all galvanised frame
  - > Forklift frame - lifts on/off easily
  - > Ideal for super spreaders
- 2 XL EXTENDED LEG OPTIONS**
  - > Raised discharge height
  - > Bag hooks
  - > Ideal for bag filling

### BULKA BINS

CODE	DIMENSIONS (mm)	CAPACITY	PRICE (inc GST)
BB12	1,200D x 1,500W x 1,600H	1.2 cub mtrs	\$ 1,950.00
BB12XL	1,200D x 1,500W x 2,300H	1.2 cub mtrs	\$2,255.00
BB16	1,200D x 1,500W x 1,860H	1.6 cub mtrs	\$2,290.00
BB16XL	1,200D x 1,500W x 2,560H	1.6 cub mtrs	\$2,595.00

### HOLDING CAPACITIES OF BULKA BINS (Approx.)

PRODUCT	BB12	BB16
Wheat & Meatmeal	960kg	1200kg
Barley	750kg	1000kg
Oats	600kg	800kg
Urea	876kg	1200kg
Lucerne	300kg	400kg
Calf & Pig Pellets	800kg	1050kg



 NEW PRODUCT

Weather-proof outlet!

BB16 ^

# Silomaster™ Dry Bulk & Liquid Storage

## Ultimate Volume Storage

5000L, 7500L & 10000L storage silos suitable for all types of liquid supplements, dry feed and fertiliser storage.

- > Rust free poly construction
- > Rodent and weather proof
- > Hinging lid for easy access
- > Colour coding available



### Advanced

The entirely new Silomaster™ range of Rotomoulded Silos represents the latest advances in Dry Bulk & Liquid Storage.

### Engineered

Exhaustively Engineered and submitted to FEA testing at a range of specific gravities (SG). Silomaster™ silos are available for specified duties between 1 and 1.4 SG.

### Durable Construction

A One-Piece tank moulded from UV Stabilised, Food Grade MDPE and mounted to a fully Galvanised support structure.

### Re-locatable

For ease of repositioning, the support structure incorporates fork channels which allow the silo to be moved with a minimum 2ton Fork truck when empty. (For Static Storage with Heavy Duty Frame option only).

### Heavy Duty Frame Option

- 1 Remote Opening Fill Hatch
- 2 Eyelet tags
- 3 RHS Supports for conical sections
- 4 2-Way fork channels
- 5 Optional screw lid



SM5000 >

### Dry Feed & Pellet Frame Option


- 1 Remote Opening Fill Hatch
- 2 Bolt down points
- 3 RHS Supports for conical sections
- 4 Full duragal frame
- 5 Optional screw lid
- 6 Optional Blow Fill Pipe



SMDF7500 >

# Silomaster™ Features & Benefits

# Maxi Bins



SILOMASTER (Please specify Powder or Liquid outlet)

CODE	DESCRIPTION	PRICE (inc GST)
SM5000	5000Ltr Silo - Heavy Duty Frame	P.O.A.
SM7500	7500Ltr Silo - Heavy Duty Frame	P.O.A.
SM10000	10000Ltr Silo - Heavy Duty Frame	P.O.A.
SMDF5000	5000Ltr Silo - Dry Feed Frame 2420L x 2380W x 3025H	P.O.A.
SMDF7500	7500Ltr Silo - Dry Feed Frame 3010L x 2380W x 3615H	P.O.A.
SMDF10000	10000Ltr Silo - Dry Feed Frame 3600L x 2380W x 4205H	P.O.A.

(Add HD to code for 1.4 SG duty)

## Solving your bulk dispensing needs

With a current industry focus on OHS, Environmental Impact & Cost Efficiencies...

The Maximaster™ range comes in 4 sizes ranging from 0.6m<sup>3</sup> to 2.0m<sup>3</sup> for all your liquid and dry bulk applications.




### Advantages

- > Eliminate bagging or bottling in smaller quantities
- > Smooth food-grade polyethylene for ease of cleaning
- > Standard pallet dimensions
- > Highly resistant to most chemicals, oils & acids
- > Weather-proof: "remove the storage burden inside"
- > Low-maintenance galvanised frame
- > Custom outlet options available

### COLOUR RANGE

- Natural
- Black
- Trans Blue



MAX60 >



^ MAX150

MAXI BIN (Please specify Powder or Liquid outlet)

CODE	DESCRIPTION	DIMENSIONS (mm)	PRICE (inc GST)
MAX60	Maxi Bin 0.6m <sup>3</sup>	1165L x 1165 W x 1450H	P.O.A.
MAX100	Maxi Bin 1.0m <sup>3</sup>	1165L x 1165 W x 1870H	P.O.A.
MAX150	Maxi Bin 1.5m <sup>3</sup>	1165L x 1165 W x 2235H	P.O.A.
MAX200	Maxi Bin 2.0m <sup>3</sup>	1165L x 1165 W x 2655H	P.O.A.

(Dimensions are based on our standard frames, custom frames also available)



# Tractor Roofs



## Roof Model Guide

- TR0**  
Ride on mowers
- TR1**  
Tractors up to 45HP
- TR2**  
Tractors above 45HP




Made from fully UV stabilised polyethylene. You can have that economical roof cover you've been waiting for.

## Special Features

- > Designed for ROPS frames, 3 sizes available
- > Mounting brackets available.
- > Lightweight, flexible and ribbed for strength.
- > Gutter across front rim for water run off.

### COLOUR RANGE

- 1 Red
- 2 Blue
- 3 JD Green
- 4 White
- 5 Orange



### TRACTOR ROOFS

CODE	DIMENSIONS (mm)	PRICE (inc GST)
TR0	Tractor roof - small 1,200L x 850W x 120H	\$259.00
TR1	Tractor roof - med. 1,530L x 1,140W x 150H	\$297.00
TR2	Tractor roof - lge. 1,830L x 1,500W x 200H	\$395.00
MTR0/2	Mounting bracket for TR0, 2 post	\$199.00
MTR0/4	Mounting bracket for TR0, 4 post	\$150.00
MTR1/2	Mounting bracket for TR1, 2 post	\$235.00
MTR1/4	Mounting bracket for TR1, 4 post	\$170.00
MTR2/2	Mounting bracket for TR2, 2 post	\$269.00
MTR2/4	Mounting brackets for TR2, 4 post	\$230.00

(Be sure to compare tractor ROPS width with tractor roof width when selecting your model).

# Grain Hopper & Shovels



An almost unbreakable poly shovel with many uses.


### GRAIN HOPPER

- > Wide support base and low profile
- > Tough poly (UV resistant)
- > Suits any size auger
- > Crease resistant - flexes back to shape
- > Equipped with strap to hold onto auger



### GRAIN AND FERTILIZER SHOVEL

- > One-piece moulding
- > No rust or splinters, no separate parts
- > Smooth light-weight poly



### COLOUR RANGE FOR SHOVELS

- 1 Red
- 2 Blue
- 3 Green
- 4 White

### GRAIN HOPPER

CODE	DIMENSIONS (mm)	PRICE (inc GST)
GAB2	1,100L x 1,200W x 540H	\$239.00

### GRAIN AND FERTILIZER SHOVEL

CODE	DESCRIPTION	PRICE (inc GST)
GS40	Grain & Fertilizer Shovel	\$103.90

“With Polymaster,  
our business continues  
to grow stronger and  
stronger.”



55-68

## Diesel & AdBlue<sup>®</sup> Tanks

- > Dieselmaster™ Bunded Stations
- > Dieselmaster™ Ute Packs
- > Diesel Choice Tanks
- > Bulk Diesel Transfer Unit
- > Diesel Trailer Transfer Units
- > Dieselmaster™ Accessories
- > Bluemaster™ Bunded Stations
- > Bluemaster™ Ute Packs
- > Bluemaster™ IBC Kits
- > Bluemaster™ Accessories



# Dieselmaster® Bunded Stations



## Leading the way in Bulk Bunded Storage of Diesel Fuel

- > Protects the Environment
- > Complies with safe handling requirements for diesel storage
- > Recommended by major fuel distributors.





# Dieselmaster® Specifications

**We've got you covered**  
with Volume and Dispensing  
options to suit all  
applications.

- > Fully Self-Bunded Storage
- > Lockable dispensing cabinet
- > 240V & 12V Pump options
- > User Access Control options

## DIESELMASTER® SPECIFICATIONS

Standard Equipment	Ranger	Quantum
Mechanical Meter	✓	N/A
Digital Meter	Optional	✓
Diesel Filter	✓	✓
Auto Shutoff Nozzle	✓	✓
Power Box	✓	✓
Bund Sensor	✓	✓
Tank Level Indicator	✓	✓
Camlock Fitting	✓	✓
240V Pump	✓	✓
10m Hose Reel	Optional	✓
MC Box	N/A	✓
12V Pump	Optional	Optional
Solar Kit	Optional	Optional
Extra MC Box User Keys	N/A	Optional

## DIESELMASTER® MODELS

Sizes Available	Ranger	Quantum
2300lt	DMDS2300R	DMDS2300Q
5000lt	DMDS5000R	DMDS5000Q
7000lt	DMDS7000R	DMDS7000Q
10,000lt	DMDS10000R	DMDS10000Q

## ALSO SUITABLE FOR:




Oil



Coolant



Chemical



# Dieselmaster® Ute Packs

## Designed for the Extreme.

Providing safe operation in the most demanding of refuelling duties from Agriculture to Heavy Industry.

### Internationally Certified

The Ute Pack™ range has been extensively tested and approved to the UN Specification for the Transport of Dangerous Goods and Worksafe Packaging Group 3 standards.



### Special Features

1. Certified diesel-grade cross linked polyethylene
2. 4 mtrs of hose and leads
3. Battery Terminal Clamps
4. Heavy Duty Swivel fittings from pump outlet
5. Premium quality 45lpm Italian pump
6. Steel filling plate and cap for access
7. Standard with Auto Nozzle
8. Fuel gauge
9. Splash proof breather
10. Fully enclosed lockable lid

# Dieselmaster® Ute Packs



These tanks were filled with Glycol and then frozen to -20°C before being extensively drop tested to pass the rigorous UN Specifications.



31H2/Z/  
AUS/Polymaster  
30659/0/553

DANGEROUS GOODS PACKAGING  
APPROVAL ROAD TRANSPORT REFORM  
(DANGEROUS GOODS) REGULATIONS  
WORKSAFE APPROVAL  
NUMBERS 30659,30748 AND 30943  
For 100,200 & 400 Ltr Models Only



1  
Feature



2  
Feature

- 1 Lockable lid feature
- 2 Fuel Gauge

## Dieselmaster™ Ute Pack Frames

- > Ideal for mounting to any size ute tray  
- no extra space required.



DMP200 ▲  
WITH DT200MF



## DIESELMASTER® UTE PACKS

CODE	DESCRIPTION	L x W x H mm	PUMP FLOW	PRICE (inc GST)
DMP100	100L Dieselmaster Ute-Pack with 12V Pump	770L x 540W x 500Hmm	40LPM	\$945.00
DMP200	200L Dieselmaster Ute-Pack with 12V Pump	1000L x 750W x 605Hmm	45LPM	\$1175.00
DMP400	400L Dieselmaster Ute-Pack with 12V Pump	1620L x 750W x 665Hmm	45LPM	\$1450.00
DMP600U	600L Dieselmaster Ute-Pack with 12V Pump	1720L x 890W x 755Hmm	45LPM	\$1650.00
DMPD600U	600L Dieselmaster Ute-Pack with 12/24V Dual Voltage Pump	1720L x 890W x 755Hmm	35/75LPM	\$1895.00
DMP800U	800L Dieselmaster Ute-Pack with 12V Pump	1720L x 890W x 925Hmm	45LPM	\$1890.00
DMPD800U	800L Dieselmaster Ute-Pack with 12/24V Dual Voltage Pump	1720L x 890W x 925Hmm	35/75LPM	\$2135.00



# Bulk Diesel Transfer Units

## Proven transfer packages

Engineered to service a wide range of heavy plant & machinery.



DMPF2000 >



▲ DMPF3000

DMPF1200▲

▲ DMP600

▲ DMPF2000

▲ DMP800 with Optional Meter

### Special Features:

- > Tough and Durable One-Piece Moulding
- > Moulded Internal Baffles for Vehicle Stability
- > Can be Strapped or Pin Mounted to vehicles
- > Galvanised Forklift Skids Available
- > Certified Diesel-grade cross linked Polyethylene
- > Lockable filling port
- > Range of 12-24V & Petrol/ Diesel Powered Pump Options available

### BULK DIESEL TRANSFER UNITS

CODE	DESCRIPTION	L x W x Hmm	PUMP FLOW	PRICE (inc GST)
DMP600	600L Transfer Tank with Standard 12V Pump	1200L x 1050W x 715H mm	45LPM	\$1595.00
DMPD600	600L Transfer Tank with 12/24V Dual Voltage Pump	1200L x 1050W x 715H mm	35/75LPM	\$1890.00
DMP800	800L Transfer Tank with Standard 12V Pump	1450L x 1200W x 740H mm	45LPM	\$1795.00
DMPD800	800L Transfer Tank with 12/24V Dual Voltage Pump	1450L x 1200W x 740H mm	35/75LPM	\$2090.00
DMPF800	800L Transfer Tank with 12V Fast-flow Pump	1450L x 1200W x 740H mm	85LPM	\$2495.00
DMP1200	1200L Transfer Tank with Standard 12V Pump	1450L x 1200W x 1000H mm	45LPM	\$2150.00
DMPD1200	1200L Transfer Tank with 12/24V Dual Voltage Pump	1450L x 1200W x 1000H mm	35/75LPM	\$2395.00
DMPF1200	1200L Transfer Tank with 12V Fast-flow Pump	1450L x 1200W x 1000H mm	85LPM	\$2695.00
DMP2000	2000L Transfer Tank with Standard 12V Pump	1900L x 1450W x 1100H mm	45LPM	\$2950.00
DMPD2000	2000L Transfer Tank with 12/24V Dual Voltage Pump	1900L x 1450W x 1100H mm	35/75LPM	\$3250.00
DMPF2000	2000L Transfer Tank with 12V Fast-flow Pump	1900L x 1450W x 1100H mm	85LPM	\$3490.00
DMP3000	3000L Transfer Tank with Standard 12V Pump	2100L x 1500W x 1200H mm	45LPM	\$3690.00
DMPD3000	3000L Transfer Tank with 12/24V Dual Voltage Pump	2100L x 1500W x 1200H mm	35/75LPM	\$3800.00
DMPF3000	3000L Transfer Tank with 12V Fast-flow Pump	2100L x 1500W x 1200H mm	85LPM	\$3990.00

# Diesel Trailer Transfer Units

**Ultimate mobile re-fuelling** with Tank & Trailer Combos built for long-term performance

- > Durable Hot-Dip Galvanised Trailers
- > Electric, Petrol or Diesel Powered Transfer Options
- > Compliance Plated & Ready for Registration



1. Auto Shut Off Nozzle
2. Mechanical Fuel Gauge (Optional Digital Gauge Available)
3. Lockable dispensing cabinet
4. Non Splash Breather
5. Lockable Fill Cap
6. Certified Diesel-Grade Polyethylene Tank
7. Optional 10m Hose Reel
8. Heavy Duty Jockey wheel
9. Offroad Tyres available

< DTPFT1200T  
Shown with  
Optional  
Hose Reel

## DIESEL TRAILER TRANSFER UNITS

CODE	DESCRIPTION	CAP.	PUMP FLOW
DMPT600S	600L Transfer Tank 12V Fast Flow Pump & Galvanised Trailer with brakes	600L	45LPM
DMPFT800S	800L Transfer Tank 12V Fast Flow Pump & Galvanised Trailer with brakes	800L	85LPM
DMPFT1200S	1200L Transfer Tank 12V Fast Flow Pump & Galvanised Trailer with brakes	1200L	85LPM
DMPFT1200T	1200L Transfer Tank 12V Fast Flow Pump & Galvanised Tandem Trailer with brakes	1200L	85LPM
DMPFT2000T	2000L Transfer Tank 12V Fast Flow Pump & Galvanised Tandem Trailer with electronic breakaway protection	2000L	85LPM
DMPFT3000T	3000L Transfer Tank 12V Fast Flow Pump & Galvanised Tandem Trailer with electronic breakaway protection	3000L	85LPM

# DieselChoice Tanks

## POLYCHOICE

### Safe and Economical Transfer solutions,

providing all the basics to move diesel fast.

- > Robust Low-profile design
- > Dual Voltage 12/24V 35/70 LPM Pump.
- > Auto Shut-off Nozzle as standard
- > Certified Diesel-Grade Polyethelene



#### DieselChoice Tank Option

- 1 Splash Resistant Breather System
- 2 Filler Cap
- 3 Inline Filter
- 4 Dual Voltage Diesel Pump
- 5 4mtr Battery Leads & Hose
- 6 Earth Strap to Prevent Static Build-up
- 7 Automatic Shut-off Nozzle



< DCP200



< DCP100



< DCP200



< DCP400



< DCP600



< DCP800

#### DIESELCHOICE TANKS

CODE	DIMENSIONS (mm)	Cap.	PRICE (inc GST)
DCP100	770L x 540W x 500H	100Ltr	739.00
DCP200	1000L x 750W x 605H	200Ltr	829.00
DCP400	1620L x 750W x 665H	400Ltr	999.00
DCP600	1720L x 890W x 755H	600Ltr	1370.00
DCP800	1720L x 890W x 925H	800Ltr	1590.00



# Dieselmaster® Accessories



DP40K ▲

▼ DP45K

## BASIC KIT

- > 40LPM 12V/140W/22A
- > 2 metre lead
- > 4 metre hose
- > Manual nozzle

## STANDARD KIT

- > 45LPM 12V/150W/23A
- > 4 metre lead and hose
- > Auto nozzle & swivel
- > Vertical mounted



DP1224K ▲

▼ DP85K



## DUAL KIT

- > 35LPM 12V/152W/42A
- > 75LPM 24V/420W/25A
- > 4 metre lead and hose
- > Auto nozzle & swivel

## FAST FLOW KIT

- > 85LPM 12V/42A
- > 4 metre lead and hose
- > Auto nozzle & swivel



## DIESEL PUMPS & ACCESSORIES

CODE	DESCRIPTION	PRICE (inc GST)
DM100MF	100L Ute-Pack Frame	\$195.00
DM200MF	200L Ute-Pack Frame	\$225.00
DM400MF	400L Ute-Pack Frame	\$280.00
DM600MF	600L Ute-Pack Frame	\$390.00
DM800MF	800L Ute-Pack Frame	\$390.00
DMDT	Digital Turbine Meter	\$330.00
DMM4	4 Digit Mechanical Meter	\$190.00
ATN90	Fast-flow Automatic Trigger Nozzle / 90LPM	\$155.00
ATN65	Automatic Trigger Nozzle / 65LPM	\$110.00
MTN	Manual Trigger Nozzle	\$69.00
DMHP	Rotary Hand Pump	\$135.00
DP40K	Basic 12V Transfer Pump Kit c/w manual nozzle / 40LPM	\$355.00
DP45K	Standard 12V Transfer Pump Kit c/w auto nozzle / 45LPM	\$590.00
DP1224K	Dual Voltage 12/24V Transfer Pump Kit - 35/75LPM	\$795.00
DP85K	Fast-flow Transfer Pump Kit / 85	\$950.00
RHSC4	4m Replacement Hose & Swivel Connection	\$165.00
DHR10M25	10mm Retractable hose reel	\$935.90



DMDT ▲



DMM4 ▲



ATN65 ▲



ATN90 ▲



DT200MF ▲



▲ DHR10M25

# Bluemaster® Bunded Stations



## Optimised Fleet Solutions

for bulk ADBLUE® storage and dispensing to SCR equipped vehicles.

- > Protecting your ADBLUE® from temperature damage
- > Preventing contamination in handling and storage
- > Simplifying dispensing operation



# Bluemaster® Specifications

**Comprehensive options**  
to suit all volume and  
operational requirements.

- > Fully self-bunded containment
- > All wetted parts are non-corrosive
- > Lockable dispensing cabinet
- > Custom dispensing & monitoring options

## BLUEMASTER® SPECIFICATIONS

Standard Equipment	Depot	Express	Terminal
240v Piusi Pump	✓	✓	✓
Inline Flow Meter Piusi	✓	✓	N/A
Auto Nozzle	✓	✓	✓
4m Hose	✓	✓	N/A
8m Hose Reel	Optional	Optional	✓
MC Box	N/A	N/A	✓
OCIO Digital Level Indicator	✓	✓	✓
Hot Weather Kit	Optional	Optional	Optional
Dry-break Coupling	Optional	✓	✓
Bund Alarm	Optional	✓	✓
Overfill Alarm	Optional	✓	✓
Extra MC Box User Keys	N/A	N/A	✓
Ocio Remote Level Transmitter	Optional	Optional	Optional

## BLUEMASTER® MODELS

Sizes Available	Depot	Express	Terminal
1500lt	BMDS1500D	BMDS1500E	BMDS1500T
2300lt	BMDS2300D	BMDS2300E	BMDS2300T
3300lt	BMDS3300D	BMDS3300E	BMDS3300T
5000lt	BMDS5000D	BMDS5000E	BMDS5000T
7000lt	BMDS7000D	BMDS7000E	BMDS7000T
10,000lt	BMDS10000D	BMDS10000E	BMDS10000T





# Bluemaster® Ute Packs

**Fast & Convenient Adblue®  
Dispensing** streamlining  
transfer for transport fleets  
through to farm machinery.

- > Certified for AUS32-Adblue® contact
- > Complete Units: Ready-for-Use
- > Quality 35 lpm Diaphragm Pumps
- > All metal parts 316 Stainless Steel
- > Fully Lockable Pump Compartment



▲ BM800U-B

▲ BM600U-B

▲ BM400-B

▲ BM200-B

▲ BM100-B

## Special Features

- > Optional Pro Kit includes meter & auto nozzle
- 1. Fully enclosed lockable lid
- 2. Premium quality 35 lpm Diaphragm pump
- 3. All Polyethylene & S/S Wetted Parts
- 4. 4 mtrs of hose and leads standard
- 5. Baffled Tanks for vehicle stability



< BM200-B  
WITH STEEL FRAME  
(BM200 MF)

## BLUEMASTER® UTE PACKS

Code	Description	L X W X H mm	Flowrate	PRICE(inc.GST)
BM100-B	100L Bluemaster® Ute Pack & 12V Diaphragm Pump	770L x 540W x 500H mm	17LPM	\$1188.00
BM200-B	200L Bluemaster® Ute Pack & 12V Diaphragm Pump	1000L x 750W x 605H mm	35LPM	\$1309.00
BM400-B	400L Bluemaster® Ute Pack & 12V Diaphragm Pump	1620L x 750W x 665H mm	35LPM	\$1892.00
BM600U-B	600L Bluemaster® Ute Pack & 12V Diaphragm Pump	1720L x 890W x 755H mm	35LPM	\$2200.00
BM800U-B	800L Bluemaster® Ute Pack & 12V Diaphragm Pump	1720L x 890W x 925H mm	35LPM	\$2750.00

\* Please specify PRO(P) or BASIC(B) Kit fitout when ordering

# Bluemaster® IBC Kits

## Straight forward transfer kits for easy IBC dispensing.

- > Prevents Adblue® contamination
- > Quick installation and transfer
- > 35 LPM European Diaphragm pumps
- > Choice of top or bottom suction assemblies
- > Power options of 12V or 240V



> BITKP-P240 PRO

### Special Features

1. 35 LPM Diaphragm pump
2. Inline digital flowmeter
3. 316 Stainless Auto Nozzle
4. Detachable stainless steel bracket

### BLUEMASTER® IBC KITS

Code	Description	Voltage	PRICE(inc.GST)
BITKP-P240	IBC Transfer Kit- PIUSI - <b>Pro</b> c/w 3 pin plug, 6m Hose, Digital Meter, Auto Transfer Nozzle, bottom suction assembly & s/s mounting frame	240V	\$1595.00
BITKP-P12	IBC Transfer Kit- PIUSI - <b>Pro</b> c/w battery clips, 6m Hose, Digital Meter, Auto Transfer Nozzle, bottom suction assembly & s/s mounting frame	12V	\$1595.00
BITKB-P240	IBC Transfer Kit- PIUSI - <b>Basic</b> c/w 3 pin plug, 6m Hose, Manual Transfer Nozzle, bottom suction assembly & s/s mounting frame	240V	\$1149.00
BITKB-P12	IBC Transfer Kit- PIUSI - <b>Basic</b> c/w battery clips, 6m Hose, Manual Transfer Nozzle, bottom suction assembly & s/s mounting frame	12V	\$1149.00

\* TOP or BOTTOM suction assembly to be specified at time of order

# Bluemaster® Accessories

## Go the Distance

with your own reserve supply  
of Adblue®

- > Easy to Install & Operate
- > Prevent a Limp-Mode Scenario



BRT28P >  
Bluemaster®  
Reservoir Tank  
with Mounting Plate

### BLUEMASTER™ TRANSFER GEAR

CODE	DESCRIPTION	POWER	PUMP FLOW
ADBB-P240	Transfer Cabinet Kit	240V	35LPM
BMLI	Ocio Adblue Digital Level Indicator	-	
BDM-P	25mm Digital Adblue Meter	240V	35LPM
BMCB	MC Box -Multi User Monitoring System	240V	n/a
B12VP-P	12V Adblue Transfer Pump c/w Battery clips	12V	35LPM
B240VP-P	240V Adblue Transfer Pump	240V	35LPM
B24VP-P	24V Adblue Transfer Pump c/w 3 Pin Plug	24V	35LPM
BDHP-P	205L Drum -Hand Pump Kit c/w drum adaptors	n/a	15LPM
B12KP-P	Adblue Transfer Pump	12V	35LPM
B240KP-P	Adblue Transfer Pump	240V	35LPM
BMTN	Manual Adblue Nozzle	n/a	80LPM
BATN-P	Automatic Adblue Nozzle	n/a	40LPM
BATN-M	Auto Adblue Nozzle W/Magnetic lockout		
BATN-MM	Auto Adblue Nozzle W/Magnetic lockout & Metre-PUISI		
BM-MF	Mounting Frames		
BRT28P	Bluemaster® Reservoir Tank with Mounting Plate		



▲ BMLI



▲ BDM-P



▲ BMCB



▲ B240VP



▲ BDRHP-P



▲ B12KP-P



▲ BMTN-P



▲ BATN-P



▲ BATN-M



▲ BATN-MM



BM200MF >  
Mounting  
Frames to Suit  
Bluemaster®  
Ute Packs

- 100L-BM100MF
- 200L-BM200MF
- 400L-BM400MF
- 600L-BM600MF
- 800L-BM800MF

ADBB-P240 >  
Complete  
lockable  
transfer unit  
(Optional 12V)





"Polymaster works together with us for shared success."



69-72

## Fire- Fighting & Water Cartage

- > Compact Packages
- > Skid Mounted Packages
- > Trailer Mounted Packages



# Compact Packages

Enabling Fast Response with ute-back convenience, these versatile units combine compact tanks with proven Onga fire-fighting pumps.

- > Integrally mounted pump - saves tray space
- > Internal Baffles for Vehicle Stability
- > Optional Skid Mounting Frames
- > Adjustable Nozzle with 12m of Hose as Standard

## COMPACT F/F PACKAGES

Code	Description L x W x H (mm) /	Cap.	Price (inc. GST)
FTR200	1050L x 700W x 600H - bare	200 ltr	\$488.50
FTRC200-25	1050L x 700W x 600H - c/w 2.5 h.p	200 ltr	\$1452.00
FTRC200-50	1050L x 700W x 600H - c/w 5.0 h.p	200ltr	\$2035.00
FTR400	1680L x 700W x 600H - bare	400 ltr	\$686.50
FTRC400-25	1680L x 700W x 600H - c/w 2.5 h.p	400 ltr	\$1562.00
FTRC400-50	1680L x 700W x 600H - c/w 5.0 h.p	400ltr	\$2100.00
FTR600	1150L x 1130W x 740H - bare	600 ltr	\$990.00
FTRC600-50	1150L x 1130W x 1210H - c/w 5.0 h.p	600 ltr	\$2227.00
FTR800	1400L x 1200W x 740H - bare	800 ltr	\$1148.50
FTRC800-50	1400L x 1200W x 1210H - c/w 5.0 h.p	800 ltr	\$2409.00
FTR1200	1400L x 1200W x 1000H - bare	1200 ltr	\$1366.50
FTR2000	1800L x 1400W x 1100H - bare	2000 ltr	\$2138.50
FTR3000	2100L x 1500W x 1200H - bare	3000 ltr	\$2790.00
FTR4500	Coming soon		



FTRC200-25



FTRC400-50



FTRC600-50



FTRC800-50

## Special Features

- > Baffled for vehicle stability
- > 1" brass outlet 200 L and 400 L
- > 1 1/2" brass outlet 600 L and 4500 L
- > Provision for strap or pin mounting
- > High strength, lightweight UV resistant polyethylene construction
- > Translucent (to see water level)
- > Screw lid on 200 L -> 600 L
- > Available with sump and elevated mounting feet for positive draining on request



FTR3000

FTR2000

FTR1200

FTR800

FTR600

FTR400

FTR200




# Skid Mounted Packages

**Serious fire-fighting capability,**  
 utilising your own vehicle  
 or trailer. Fight the fire from a  
 safer distance with  
 twin-impeller pumps,  
 pumping it higher and further.

## Special Features

- > Heavy Duty Galvanised Skid Frame
- > Fork On - Off Capability
- > Baffled Tanks from 600 -> 2000L
- > 6.5HP Onga Blazemaster™ Twin-Impeller Pump
- > Robust roll-bar for tank & pump protection
- > 36m Hose Reel and Fire-fighting Nozzle included
- > Bottom Fill Manifold with 6m Suction Hose



### COLOUR RANGE

- 1 Trans Orange (Std. Colour)
- 2 Trans Blue

## FIRE SKID PACKAGES - SKID MOUNT

Code	Description	L x W x H (mm)	Price (inc. GST)
FTRS600	600ltr Skid Mounted c/w 6.5 hp	1800 x 1400 x 850	\$4125.00
FTRS800	800ltr Skid Mounted c/w 6.5 hp	1900 x 1400 x 850	\$4430.50
FTRS1200	1200ltr Skid Mounted c/w 6.5 hp	1900 x 1400 x 1100	\$4690.00
FTRS2000	2000ltr Skid Mounted c/w 6.5 hp	2100 x 1800 x 1200	\$5950.00



▲ FTRS600



▲ FTRS800



▲ FTRS1200



▲ FTRS2000



# Trailer Mounted Packages

## Providing Volume and Performance

for larger outbreaks or controlled burns, these robust trailers are hot-dip galvanised and ready for immediate registration.



Optional Dust Suppression Kits



400mm ¼ turn Hinged Lid is standard on 800->4500Ltr tanks




Internal Baffles greatly increase Stability and Vehicle Safety

### Special Features

- > Single or Dual Axle Trailers - Compliance Plated
- > Baffled Tanks from 600->3000L
- > Honda 4-Stroke or Diesel Powered Pumps
- > Electronic Break-away Protection on 2000L & 3000L trailer
- > Bonus Toolbox on trailer draw-bar
- > 36m Hose Reel and Fire-fighting Nozzle included
- > Suction Return Manifold with 6m Suction Hose

### TRAILER MOUNTED PACKAGES

Code	Description	Price (inc. GST)
FTRT600	600ltr Trailer Package c/w 6.5 hp - Single Axle	\$7150.00
FTRT800	800ltr Trailer Package c/w 6.5 hp - Single Axle	\$7790.00
FTRT1200S	1200ltr Trailer Package c/w 6.5 hp - Single Axle	\$8690.00
FTRT1200T	1200ltr Trailer Package c/w 6.5 hp - Tandem	\$9390.00
FTRT2000	2000ltr Trailer Package c/w 6.5 hp - Tandem	\$13290.00
FTRT3000	3000ltr Trailer Package c/w 6.5 hp - Tandem	\$15590.00



#### COLOUR RANGE

- 1 Trans Orange (Std. Colour)
- 2 Trans Blue

FTRT1200T >



# All Poly Produce Bin

# Food Grade Polyethylene Liner

An all polyethylene rotomoulded bin which needs no support frame due to its unique ribbed design.


Ideal for:

- > Grapes
- > Fruit Industry
- > Abattoirs
- > Horticulture
- > Vegetables
- > Food
- > Orchards
- > Vineyards



## Special Features

- > All Poly Bin available with encapsulated fork channels if required
- > Nest them empty - stack them full
- > Hygienic food grade material
- > Forklift access channels
- > Ideal pallet size for transporting
- > Bin stacks when rotated 180°
- > FEA analysis testing completed for strength



### COLOUR RANGE

- 1 Heritage Green
- 2 Rapid Blue
- 3 Light Grey

### POLY PRODUCE BIN

Code	Description	Price (inc. GST)
PPB100	All Poly bin 1,000 ltr - 1,190 x 1,190 x 1,010H	\$594.00
PPB100FC	All Poly bin 1,000 ltr with fork plates	\$750.00
PPBL	Sealed lid for All Poly bin	\$165.00



^ GTBF

PBLS145 >

> PBLS85

> PBLS100



## Special Features

- > Fork pockets are wide enough to cater for any rotating head fork on the market
- > Easy to clean and stackable
- > Strong yet lightweight
- > Optimum height for hand picking
- > Range of sizes to suit your needs
- > Aluminium Steel frames available

### FOOD GRADE POLYETHYLENE LINERS

Code	Description	Price (inc. GST)
PBL85	850ltr liner only 1100L x 1100W x 760H	\$350.00
PBL100	1000ltr liner only 1100L x 1100W x 885H	\$390.00
PBL145	1450ltr liner only 1100L x 1100W x 1285H	\$450.00
PBLD	Poly lid for above liners	\$165.00
GTB	Liner only 2170L x 1200W x 1100H	P.O.A
GTBF	Liner & galvanised steel frame 2350L x 1280W x 1250H	P.O.A

# Aquaculture Tanks & Accessories



## The Range

- 1 **FT9000B** - 9000ltr tank with tapered base.\*
- 2 **FT5000B** - 5000ltr tank with tapered base.\*
- 3 **FT2000B** - 2000ltr tank with tapered base.\*
- 4 **FT1000B** - 1000ltr tank with tapered base.
- 5 **FT500B** - 500ltr tank with tapered base.
- 6 **FTF200** - 200ltr tank with flat base.

\*Please note: All shown with optional water controller

## Special Features

- > Sloping bottom with purpose built all poly base
- > Unique sump moulded in one piece with tank
- > Excellent height for efficient fish handling
- > Poly water level controller fits under top lip of tank
- > No internal pipework in tank to damage fish or get in the way
- > Food grade virgin polyethylene

## Aquaculture Tanks

Code	Description	Floor Slope	Price (inc. GST)
FT9000B	Tank & base 9,000 ltr - 3,500 dia x 1,280H	100 mm	\$3380.00
FT5000B	Tank & base 5,000 ltr 2,850 dia x 1,180H	120 mm	\$2250.00
FT2000B	Tank & base 2,000 ltr 2,000 dia x 1,000H	150 mm	\$1390.00
FT1000B	1420 dia x 1200H Floor Slope 40mm	40 mm	\$880.00
FT500B	Tank & base 500 ltr 1,000 dia x 1,000H	80 mm	\$590.00
FTL2000	2,000 ltr Tank Lid only	2,180 dia	\$330.00

## The Range

- 1 **APRS** - Poly Riser Screen  
This Polyethylene screen is specially designed to be safe for fish with no sharp edges  
Length: 300mm, fits into 100mm socket in sump
- 2 Optional dual drain type sump available (conditions apply)
- 3 Sump on all Aquaculture tanks incorporating plumb quick for easy connection to pipework replaces the old uniseal method

## Special Features

- > All bases are moulded to allow sump pipe to be fitted prior to installing on base
- > Water level controllers available, tanks 1000-9000ltr

Pipework needed for each size of tank:

- > 500ltr - 2,000ltr needs 65 mm SWV pipe to join onto sump
- > 5,000 ltr and 9,000 ltr needs 100 mm SWV pipe to join onto sump

## Aquaculture Tank Accessories

Code	Description	Price (inc. GST)
FTF200	Flat bottom tank 800 dia x 560H-200 ltr	\$165.00
WCK01	Water controller kit for 2,000 ltr tanks +1000	\$165.00
WCK02	Water controller kit for 5,000 ltr tanks +9000	\$176.00
APRS	Aquaculture Poly Riser Screen 300 mm	\$137.50



# Delivery & Installation

## Delivery of your Tanks

Polymaster's large tanks can be delivered direct to property where there is a properly made road and large turning area available. It is the owner's responsibility to provide clear access to site, and to secure tank/s left at site.

If the driver cannot reach the location, the tank/s will be left at the closest practical position at the driver's discretion.

Any delivery can be arranged, please call to discuss.  
Free delivery to site: 13,600ltr / 22,500ltr / 31,700ltr (remote areas excl.)  
Free to store: All other tanks (most areas)



## Installation Guide

Entry to tank is not required when installing a Polymaster tank!


- > The tank site must be firm, level and flat, a concrete type base well compacted and free from any rocks, stones and sharp objects. Warranty only covers a concrete base.
- > A concrete pad is recommended and must be greater than the diameter of the tank. If not, a 75mm (3") compacted sand base, or other consolidated fill i.e. crusher dust, may be used as a tank pad and must be 600mm larger than the diameter of the tank.
- > If a compacted sand base or other consolidated fill is used, a retaining wall or surround must be provided to prevent erosion and may alter the specifications of the tank.
- > The overflow must be piped well clear of the tank to avoid any undermining of the tank base.
- > Ensure that a flexible hose of at least 300 mm (12") is installed after the tank valve to absorb any shocks or movement.
- > If tank is placed on a stand, support pipework off the stand, never support pipework off the tank.

**Note: Failure to properly install tank as per instructions will void warranty.**  
Never enter a tank alone. Have an attendant stand by. Restricted Space - only enter after carrying out a Hazard Identification Risk Assessment (H.I.R.A.).

## Delivery requirements

Clearance for truck and trailer 19 metres long, 5 metres high, 3.5 metres wide.

- > In accordance with OH&S requirements, the customer must be present at the time of delivery. If this is not possible, arrangement must be made with the distributor, friends or neighbours to ensure truck driver will have the necessary assistance as listed below.
- > A minimum of three able bodied persons to help the driver place tanks 13,600 ltr and larger. This is to be arranged by the customer receiving the tank/s.
- > Underground tanks will require a lifting device (forklift etc) to unload. This is not supplied by the driver.



- 1 Inlet strainer.
- 2 Pipe overflow away from tank base.
- 3 Brass Outlet and Ball Valve.
- 4 Use 300 mm flexible hose from outlet.
- 5 Tank base to be concrete pad or sand.



**HEAD OFFICE**  
Locked Bag 4001  
161 Karinie St,  
Swan Hill VIC 3585  
P. 1800 062 064  
F. 03 5033 0224

**VIC WAREHOUSE**  
Tullamarine VIC 3043  
**SA WAREHOUSE**  
Port Adelaide SA 5015  
**NSW WAREHOUSE**  
Griffith NSW 2680

#### Certification of Quality

We are fully certified to ISO9001 and received product certification from SAI Global to Australian Standard AS/NZS 4766: 2006 License No. SMKP 21429.

#### Product Pricing

All prices listed in this catalogue include GST and represent the recommended retail price. Freight charges may vary. With Polymaster's large distributor base, you are ensured of easily sourcing excellent product at a great price. Polymaster reserve the right to alter pricing at anytime necessary.

#### Specifications

Due to the variable shrinkage rate of polyethylene, the product dimensions and capacities listed in this catalogue are approximate. Naturally occurring pigment variations in raw materials may also cause some variability in colour shades. While we attempt to come as close to the advertised shades as possible, we are unable to guarantee exact tank colour matches.

#### Easy Returns

If you are not completely satisfied with your Polymaster purchase, simply return the product for credit within 14 days of receipt. All returns are subject to a 15% restocking fee and freight charges.

#### Freight Details

In Victoria, freight is free to your distributor. In South Australia, freight is free to your carrier's depot or Adelaide. In some instances, additional freight charges may apply. Please contact us for details.

#### Product Suitability

The product recommendations used in this catalogue are intended only as a guide. While we make every effort to accurately represent the suitability of our products for a variety of uses, your situation may be unique and require additional investigation. Measurements listed in this catalogue are approximates only.

#### Sustainability



At Polymaster, special re-circulated heat processes are used to minimize greenhouse gases, excess materials are fully recycled, and water re-use programs help lessen our impact on Australia's precious natural resources.

#### Contact Us

To share your comments about our products and service - or find your nearest Polymaster distributor:

CALL / 1800 062 064  
FAX / 03 5033 0224  
EMAIL / [sales@polymaster.com.au](mailto:sales@polymaster.com.au)  
WEB / [www.polymaster.com.au](http://www.polymaster.com.au)



Order now from  
your reputable  
local distributor

